



Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



984 Mr) p.2

Producer
Delivery
Patterns
in
New England
Milk Markets

U. S. DEPT. OF AGRICULTURE

SEP 2 - 1964

CHRRENT SERIAL RECORDS

Marketing Research Report No. 672

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Economic Research Service
Maine and Vermont Agricultural Experiment Stations Cooperating

CONTENTS

	Page
ACKNOWLEDGMENTS	iii
SUMMARY	iv
INTRODUCTION	1
SCOPE AND METHODS OF ANALYSIS	1
Scope and Objectives	1
Selection of Producers	2
Reliability of Sample	2 4
Analysis of Individual Farm Data	5
Selection of Study Farms	8
DESCRIPTION OF FARMS	12
State Location	12
Zone Location	14
Special Farms	15
Producing Units Per Farm	15 17
Handler and Plant Changes	19
Market Changes	23
FARMS WHICH LEFT THE MARKET	25
Size	26
Location	27
Reasons for Leaving	2 7
ANNUAL AVERAGE DAILY DELIVERIES	29
CHANGES IN ANNUAL AVERAGE DAILY DELIVERIES	34
Average Change by Size of Farms	34
First to Third Year Change	36
Year-to-Year Changes	38 51
SEASONALITY OF DELIVERIES	56
Total Farms in Five New England Markets	<i>- (</i>
Size Groups	56 58
INDIVIDUAL FARM SEASONALITY	
	65
Amount of Seasonal Variation	65
Correlation of Year-to-Year Patterns	7 9 81
July-August to May Relationship	84
Seasonal Patterns Found	90
Forecasting Seasonal Fluctuation	94
Changes in Average Daily Delivery, Same Month, Successive Years	98
Examples of Change on Individual Farms	103
RELATIONSHIP OF BULK TANK TO MILK DELIVERY PATTERNS	107
Annual Average Daily Delivery	108
Seasonality	109

ACKNOWLEDGMENTS

The New England Milkshed Price Committee, which is composed of representatives from New England producer cooperatives, milk handlers, and State Colleges of Agriculture, proposed this special study.

Members of the study committee were Stewart Johnson, University of Connecticut; Homer B. Metzger, University of Maine; E. L. Tipton, Cooperative Dairy Economics Service; Fred C. Webster, Chairman, University of Vermont; and William C. Welden, H. P. Hood and Sons.

Alden C. Manchester, Economic Research Service, and Robert W. March, Agricultural Marketing Service, were study committee members from the U.S. Department of Agriculture.

Richard D. Aplin, Boston; Robert W. Cherry, Southeastern New England; and Donald O. Hammerberg, Connecticut, were the Federal Milk Order Market Administrators who, along with many members of their staffs, cooperated.

George F. Dow, University of Maine, and Thomas W. Dowe, University of Vermont, were the Directors of the cooperating Agricultural Experiment Stations.

Robert L. Rowell, University of Massachusetts, was the Director of the Research Computing Center where the data were processed.

In addition, there were many others whose services contributed to the study, not the least of whom were the 3,547 dairy farmers whose names and records remain anonymous.

SUMMARY

This report describes the annual and seasonal milk delivery patterns for 3,547 farms. The farms are a 20 percent random sample of all farms which delivered milk to the five New England Federal order markets on July 1, 1959. Deliveries of milk were the primary data used and cover a three-year period, July 1, 1959 to June 30, 1962.

In general, analysis of these data indicated that changes described by group averages did not describe the changes for most individual farms. Of even greater importance is the fact that, during the three years, about 25 percent of the farms reversed their direction of change in level of annual average daily delivery of milk and about 70 percent had two or more significantly different seasonal patterns.

Additional data obtained indicated other changes made by these farms during the three-year period:

- 1. Fifteen percent changed producer name.
- 2. Twenty-five percent changed handler; twenty-five percent changed plant; and forty-three percent changed handler, plant or both one or more times.
- 3. Twelve percent changed market one or more times.
- 4. Twenty-three percent left the five New England markets.

Analysis of the 806 farms which left the New England Federal order markets showed:

- 1. At least 86 percent stopped producing milk.
- 2. Fifty percent were small farms (average daily delivery below 245 pounds). (Of all small farms present in the first year, 51 percent had left at the end of the three years.)
- 3. For farms of the same size, a higher proportion of nearby than of distant farms left the market.

Annual delivery patterns were first described by group averages. The patterns found were:

- 1. The average daily delivery for farms delivering milk in the third year was 18 percent higher than the average for farms delivering in the first year.
 - 2. About two-thirds of the 18 percent increase in average daily delivery was due to a 12 percent increase in the deliveries of farms operating for 36 months, and the rest was due to small farms leaving the market. Although the average delivery per farm increased 18 percent, total deliveries for all farms increased only 3 percent.
 - 3. Small farms (below 245 pounds per day) which continued delivery for three years had the highest percentage increase in average daily delivery, 24 percent. Percentage increases for other size groups ranged from 8 to 15 percent.

The patterns described by the level of annual average daily milk delivery on individual farms over the three-year period were given most attention. The patterns found and the proportion of farms following the pattern are illustrated by the following:

1. Fifty-six percent of the farms were in the same size group in year three that they had been in year one. Twenty-two percent were in a higher group in year three than they were in year one. Nine percent were in a lower group, and 13

percent had stopped delivery. These general patterns (the same, up, down and stopped) were observed for all sizes of farms.

- 2. The year-to-year analysis showed that only 50 percent of the farms were in the same size category in all three years.
- 3. The analysis of percentage change in average daily delivery from year one to year two, and the percentage change from year two to year three, revealed the most instability among farms in the maintenance of a constant average level from year to year. The analysis was made only for the 2,656 farms that delivered for all 36 months. Nine percent did not change more than 5 percent from year one to year two, and did not change more than five percent from year two to year three. The remaining 91 percent changed more than five percent either once or twice. Twenty-two percent of the farms changed either up or down by more than five percent from year one to year two, and in addition changed more than five percent in the opposite direction from year two to year three. All size groups showed this degree of instability in average daily delivery from year to year.

Seasonal patterns of delivery were determined for each year for all farms in the market, for distant and nearby farms, and for farms of different sizes. There was variation between groups in the shape of patterns, and there also was variation from year to year in the shape of patterns for each group.

As was true for patterns of annual average daily delivery, most attention with respect to seasonal patterns was given to the experience of individual farms. Because of the difficulties involved in trying to describe patterns of change for individual farm seasonal fluctuation, the analyses dealt primarily with the degree of stability shown by individual farms in maintaining a seasonal pattern. The 2,656 farms delivering for 36 months were used for analysis. First, the year to year amount of seasonal fluctuation was analyzed. In the next two analyses, both amount and shape of seasonal fluctuation were examined.

- 1. Seventy-six percent of the farms had either more or less seasonal fluctuation in the second year, in the third year, or in both years, than they had in the first year. (The amount of seasonal fluctuation was measured by the coefficient of variation for monthly deliveries in each year. Twenty-four percent of the farms were in the same size group of the coefficient of variation in all three years.)
- 2. An intra-class correlation analysis of the three seasonal patterns for each farm showed that 75 percent of the farms had a coefficient of less than .8.
- 3. Sixty-nine percent of the farms had a statistically significant difference among the "best-fits" to the three seasonal patterns on their farms.
- 4. The precision with which seasonal patterns could be forecast for individual farms was measured by the seasonal pattern coefficient of variation. The size distribution of the coefficient indicated that 21 out of 2,656 could be forecast with no more than 8 percentage points error for two months of the year. The forecast would be the average pattern of three years.

Among all sizes of farms in both the distant and nearby areas there was great variation in the shape of seasonal patterns. In other words, even though a group of farms in an area may have had an average seasonal pattern of a particular shape, the average was actually made up of patterns of many different shapes. The analysis of stability of individual farm patterns had already indicated that considerable change took place from year to year during the three year period.

PRODUCER DELIVERY PATTERNS IN NEW ENGLAND MILK MARKETS

By Sargent Russell¹

INTRODUCTION

Total market deliveries and averages for annual, monthly, or daily periods covering all farms are well known. Much of the thinking about milk marketing is done in terms of these totals and averages. Market response to price, equity of transportation charges, and general market regulations may be satisfactorily studied with such data.

Often proposals are made to establish levels of production for individual farms. To analyze such proposals, use of market totals and averages may not be satisfactory. If rules and regulations formulated from marketwide situations are applied to individual producers, the application will have varied effect unless all individual producers are doing similar things.

The New England Milkshed Price Committee felt that more information about the activity of individual producers would be useful. The primary emphasis was to be on how change in level of production and change in seasonality of production took place on individual farms. This in turn implied determining how consistent individual farms were either in maintaining a level of production or in changing the level.

Funds for the study were provided by the Agricultural Marketing Service and the Economic Research Service of the U.S. Department of Agriculture.

Study supervision and administration, in addition to that of the New England Milk-shed Price Committee, was provided by the Agricultural Experiment Stations of Maine and Vermont under a cooperative agreement with the U.S. Department of Agriculture. The Research Computer Center at the University of Massachusetts made their computer facilities available.

SCOPE AND METHODS OF ANALYSIS

Scope and Objectives

The five New England Federal order markets were chosen for study. The first month for which producer records were available in all of these markets was April 1959. The three-year period July 1, 1959, to June 30, 1962, was selected.

The objectives stated at the beginning of the study were:

- 1. To describe the variations in patterns of annual production among individual New England milk producers. To describe the annual production changes from year to year of individual producers.
- 2. To describe the variations among individual New England milk producers in seasonal patterns of production and the variation of individual producers in their own

¹ Sargent Russell, an associate professor of food and agricultural economics, University of Massachusetts, was on leave of absence from the University while working on this report.

seasonal patterns from year to year. To describe the variations in seasonal patterns for groups of producers within a larger group, and the variation in seasonal pattern from year to year for the same producers.

 To determine the number and characteristics of farms leaving New England milk markets and the number and characteristics of farms shifting among New England milk markets.

Selection of Producers

The sample was selected by taking the record of every fifth producer who was delivering milk to a New England Federal order market on July 1, 1959. The arrangement of records from which selection was made varied between markets. In most cases the records were arranged by plants. Because of this arrangement, the selection of records resulted in the same proportion of records from each plant and therefore the same proportion from each handler. Departure from this pattern occurred in the Connecticut and Southeastern New England markets where an alphabetized file of producers was used as the source from which to make selection.

Once a producer was selected the farm, rather than the producer, was followed (insofar as it was possible to do so) for three years. If the farm of a selected producer was sold to another producer who continued to deliver milk to a New England Federal order market, the continuing record of the farm itself was used. This procedure was modified in the case of a producer owning more than one farm. In such a case, if the producer dropped one farm, that farm was no longer followed and the delivery record used was for only the farm or farms retained. If a selected producer added a farm, his delivery records including that addition were used, but previous deliveries from the added farm were disregarded.

Records for producers who shifted to a non-Federal or non-New England Federal market were not obtained after they left the market, but records for producers who shifted between New England markets were used for the entire period. Information on what happened to producers who stopped delivering to New England Federal markets was obtained from handlers. (The market administrator's office does not audit this information.)

Reliability of Sample

A comparison between the number of farms selected in the sample and one-fifth of all farms as reported in "Federal Milk Order Market Statistics" for July 1, 1959, is shown in table 1. In two of the five markets the number selected was below what was to be expected, and in three markets the number selected was above. The maximum deviation was 8 percent. For the five markets the sample is 1 percent larger than would be expected.

Comparison of the average daily delivery for the sample farms with that for all farms in the five Federal order markets is given in table 2. In three markets the average daily delivery for the sample farms was higher than the average daily delivery of all farms as reported in "Federal Milk Order Market Statistics." The five-market average for sample farms was 4 percent higher than the five-market average for all farms. The

² In each of the markets, the market administrator's office has a 5 x 8 inch record card for each producer. In some cases there is more than one card for a producer -- because of split accounts, more than one farm unit, or delivery from two or more bulk tanks. In such cases the cards were pulled together as one record, but because a producer sometimes appeared more than once he was counted more than once and the actual number of producers studied is somewhat more than the taking of every fifth record would indicate. (Table 1)

³ The terms "producer" and "farm" as of one point in time have the same meaning. Over time, as used in this study, a farm may be run by more than one producer. In this study, at least 83 percent of the farms were operated by one producer. (Table 11)

Table 1 .-- Total and sample farms by Federal order market, July 1, 1959

Market	Total farms ¹	One-fifth of total farms	Farms ² selected for sample	Sample as percentage of one-fifth of total farms
	Number	Number	Number	Percent
Boston Connecticut Southeastern New England. Springfield Worcester	10,807 3,032 2,067 928 696	2,161 606 413 185 139	2,149 657 415 184 142	99 108 100 99 102
Total	17,530	3,504	3,547	101

Federal Milk Order Market Statistics, 1960 supplement to Statistical Bulletin No. 248, Milk Marketing Orders Division, Agricultural Stabilization and Conservation Service, U.S. Dept. Agr., Dec. 1961, p. 28.

Table 2.--Average daily milk delivery for all producers and for sample farms, by Federal order market, July 1959

	Average daily delivery						
Market	Total farms ¹	Sample farms	Sample as percentage of total farms				
	Pounds	Pounds	Percent				
Boston	505	530	105				
Connecticut	789	785	99				
Southeastern New England	706	729	103				
Springfield	525	549	105				
Worcester	586	571	97				
Weighted average all markets	582	604	104				

¹ Federal Milk Order Market Statistics, 1960 Supplement to Statistical Bulletin No. 248, Milk Marketing Orders Division, Agricultural Stabilization and Conservation Service, U.S. Dept. Agr., Dec. 1961, p. 32.

difference is statistically significant. In other words, average daily delivery was higher for farms in the sample than was true for all farms in the five markets. This means that the proportion of large farms in the sample is higher than the proportion of large farms among all farms in the market. Since much of the analysis is based on farms of different sizes, this simply means that there are a few more larger farms to analyze than might have been expected.

There is a slight difference between the use of the words "farms" and "producers." As of a given point in time both mean the same, but over time a "farm," as used in the study, may change hands and be operated by different "producers."

This comparison of the sample farms with all producers shows that the number in the sample is slightly higher than expected and that the average size of sample farms is slightly greater than expected. As explained in the method of selecting the sample, this is not surprising since the larger farms were more likely than small farms to have more than one record card. This bias of more larger farms is not considered to be important, since most analyses take size of farm into consideration.

Information Tabulated From Producer Records

The primary information drawn from all records was quantity of milk delivered to handlers for a 36-month period. In most cases, deliveries were recorded semimonthly to the last pound. For the study, the last two digits were dropped, so that only full hundreds of pounds of milk delivered were copied from the records.

In addition to delivery records, the following information was also tabulated:

Bulk Tanks

All markets had information on the number of bulk tanks in use and the dates on which such tanks were first used, and this information was recorded. When information on the size of the bulk tank was available, it was recorded to the nearest hundred gallons.

Cooperative Membership

An attempt was made to record the cooperative to which a producer belonged on July 1, 1959, and on June 30, 1962. This, however, was complicated by the fact of multiple membership, and the fact that--since membership in operating cooperatives was recorded under handler--all operating cooperatives were placed in a single cooperative membership group. The number of changes in cooperative membership status were simply counted.

Handler and Plant

The name of the handler and the location of the plant to which the producer delivered on July 1, 1959, and on June 30, 1962, were recorded. The number of handler changes was tabulated as a count (one producer dealing with five handlers had nine handler changes). Plant changes recorded were those only in which there was a change from one plant under a given handler to another plant under the same handler. Plant changes resulting from handler changes were not counted as plant changes.

The Connecticut Milk Producers Association method of shifting farmers' milk between handlers presented a special problem which was handled by omitting the count of handler and plant changes.

Temporary Stop

Every interruption in producer delivery (whether it was for a few days or up to two years) was recorded, along with the principal reason for the interruption. These temporary stops were counted and the total number of weeks involved was recorded.

Transfers

When a change occurs in the producer record name (as from a man to a man-and-wife partnership, or one man to another) the Market Administrator's office makes a notation as to the type of transfer involved, and these notations were recorded.

Markets

The particular New England Federal order market to which delivery was being made on July 1, 1959, was recorded, and the number of months of unbroken delivery to that

market noted. If delivery shifted to a second New England Federal market, the new market and the number of months of unbroken delivery to it were tabulated. A second or third shift in market (whether it involved a new market or simply a return to the old) was recorded in the same way. Any successive shifts in market were noted on a supplementary list of records but not on the punch card. The total number of changes in market was recorded.

If the producer left the New England Federal markets and did not return, his leaving and the reasons for it were noted. A producer who left the New England markets but returned before June 30, 1962, was treated as a temporary stop. His reasons for leaving were obtained from the handlers by the Administrator's office but their reasons are not audited.

Number of Farms, Special Farms, and Nature of Ownership

The number of farm units in the record was indicated by multiple cards for a producer. However, split accounts (payments to father and to son or to partners) and two or more bulk tanks, in which cases there would be two or more producer cards, were counted as one farm.

When the market administrator's office had noted that a farm was operated by a cattle dealer or by a producer-handler who shipped excess milk to a handler (prior to September 1960), or when a farm shifted out of the New England market temporarily, retailed part of his milk, or shipped part of his milk to a nonregulated handler, this special characteristic of the farm was recorded.

The nature of the ownership of the farm was interpreted from the name appearing on the producer record. Since no investigation of the names appearing is made, the nature of ownership as interpreted, although recorded, wou'd need to be used with care.

Location

The location of the farm was recorded by State, by county, and by 'location differential' zone. These zones are 'nearby' (46-cent location payment), 'lintermediate' (23-cent location payment), and 'distant' (no location payment).

The primary record was photographically reproduced and checked. Coding and other adjustments took an average of about four minutes per record. The code sheets were checked when completed. The coded information and the delivery data were key punched, and 100 percent verified by a key-punching service.

Analysis of Individual Farm Data

Most arithmetic analyses of data (all mentioned in this section) were handled by an electronic computer. To insure that all analysis for any record was associated with the correct record, two identifying numbers appeared on every card. One was the farm record number and the other was the card number identifying the material on the card. Both the producer number and card number were checked in all runs through the computer and in all tabulations.

The following is a list of the determinations which are available for each record, and a description of how each determination was made:

Average Daily Delivery per Month (3 cards)

The deliveries in each month were summed and a constant "1" added (to compensate for not rounding when data were taken from the record). This sum was multiplied by the reciprocal of the number of days in the month (5 significant figures) and a constant .05 added to round to the nearest 0.1 hundreds of pounds per day.

Average Daily Delivery Bimonthly (2 cards)

Adding the average daily deliveries for July and August, September and October, and each succeeding two months before rounding, multiplying by .5, and adding .05, the average daily delivery by bimonthly periods was determined to the nearest 0.1 hundreds of pounds.

Average Daily Delivery Quarterly (1 card)

The unrounded figures for each successive three months in the year were added together, multiplied by .33333, and rounded to the nearest 0.1 hundreds of pounds by adding .05.

July-August to May Relationship (1 card)

The bimonthly average daily delivery of July and August was subtracted from the following May average daily delivery in each year. This change was divided by the May figure and rounded to the nearest whole percent by multiplying by 100 and adding .5. (In reporting this, the change is subtracted from 100 so that the final result shows July-August as a percent of the following May.)

Monthly Percents of Annual Average (3 cards)

The average daily delivery for each month in each year was divided by each year's annual average and rounded to the nearest whole percent by multiplying by 100 and adding .5.

Annual Change Analysis (1 card)

The annual average daily delivery for each of three years and the average daily delivery for three years combined was calculated from the sum of four quarterly figures (the year is July through June), multiplying the sum by .25 for each year, and the three annual averages summed and multiplied by .33333 for the three-year average.

Using the nearest whole percent, year two was expressed as a percent of year one, year three as a percent of year two, and year three as a percent of year one.

The coefficient of seasonal variation for each of three years was obtained by expressing the standard deviation of months in each year (the deviation of each month's average daily delivery from the average daily delivery of the year--this deviation squared then summed for all months, in turn divided by 11 [12 months minus one] and take the square root) as a percent of the annual average daily delivery. It is a measure of the amount of variation in monthly daily deliveries.

The type of percentage change occurring in the three years was determined by dividing the change in percents (percent year two of year one subtracted from percent year three of year two) by the percentage point deviation from 100 that year three was as a percent of year one.

The determinations described above are available for all records. Some of them are meaningless, however. For example, if a producer shipped less than 10 months, July-August as a percent of May would be almost infinite, because there would be a minus amount divided by practically zero (the computer said an error had been made). For this same producer the first year and the three-year average daily delivery would not be averages of full-time delivery.

To obtain an average level of deliveries for all farms which more nearly describes average level of farm operation, an average of deliveries during the time deliveries actually were made was calculated. For the 36-month study group, this was the three-year average described above. For a farm which left the New England Federal order

markets, average daily deliveries for the months while the farm was in the market were totaled and divided by the number of months it was in the market.

For those farms which had deliveries for 36 months, the following additional determinations were made:

Bimonthly Percent of Annual Average (1 card)

The bimonthly average daily deliveries mentioned above were multiplied by the reciprocal of the respective annual averages times 100 plus .5 and recorded to the nearest whole percent.

Quarterly Percent of Annual Average (1 card)

Using quarterly average daily deliveries, these percentages were obtained in the same way as the bimonthly figures.

Three-Year Average Monthly, Average Bimonthly, and Average Quarterly Percents of Annual Average (2 cards)

The corresponding monthly, bimonthly, and quarterly percents of annual average for the three years were added together and multiplied by .33333.

Up to this point, note that the average daily deliveries for monthly, bimonthly, and quarterly periods have been expressed as percentages of annual average daily delivery and that these figures in turn have been averaged for the three years.

Monthly, Bimonthly, and Quarterly Percent of Trend and Three-Year Average Monthly, Bimonthly, and Quarterly (6 cards)

At this point a second set of calculations was performed resulting in a set of analyses similar to those given above. Monthly, bimonthly, and quarterly average daily deliveries were expressed as a percent of "trend" in deliveries. The "trend" was obtained by calculating a centered 12-month moving average of the 36 months. From this a "trend" value for each of the center 24 months was obtained. A "trend" value for each of the six months on both ends was determined by a straight line extrapolation. Half of the difference between the annual average delivery levels of the first two years was assumed to take place in the first six months of the first year on a straight-line basis, and half of the difference between the annual average levels of the last two years was assumed to take place in the last six months of the third year. Each month was then expressed as a percent of trend. Bimonthly and quarterly percents of trend were calculated by averaging the monthly percents. The three-year average monthly, bimonthly, and quarterly figures were obtained by averaging corresponding periods for the three years.

Analysis of Seasonal Variation (1 card)

Two analyses were made of the monthly percents of annual average and monthly percents of trend for the three years. The first analysis fitted a sine-cosine curve to each year and to the average of the three years. Using analysis of variance, there was a test for significant difference among the best-fit sine-cosine curves for the three years.

What is calculated in the analysis of variance is essentially the following:

- 1. The total sum of squares for all months in all years.
- 2. The sum of squares for the best fit to the three-year average seasonal. In essence, this is the variation explained by the best fit to the three-year average seasonal pattern.

The adjustment for trend was examined to see if it changed the conclusions of the analyses made. Since it did not and since the trend as calculated has inadequacies, it was not used in presenting study results.

- 3. The sum of squares for the scatter of the actual three-year average seasonal around the best fit to the three-year average seasonal.
- 4. The sum of squares for the deviation of individual years best fits from the best fit to the three-year average seasonal. This is an interaction sum of squares. It measures the amount of variation of individual year best fits from the best fit to the three-year average.
- 5. Residual or error sum of squares. This is the total minus sum of squares for best fit to the three-year average minus sum of squares for scatter of the actual three-year average seasonal around the best fit to the three-year average minus the sum of squares for interaction (variation of individual year best fits from best fit to the three-year average). In other words, from the total sum of squares there is subtracted the sum of squares for the actual average seasonal (this is the sum of squares for best fit to the three-year average plus scatter of the actual average seasonal around the best fit to the three-year average) and also subtracted is any sum of squares explained by best fits to the individual years which is not explained by the best fit to the average seasonal.⁵

The F test for significant differences among best fits of individual years is the ratio of the interaction to the residual.

The second analysis was the determination of intraclass correlation.⁶ Essentially this is the ratio of variance which is common to the seasonal patterns in all three years to the total variance of the individual year patterns.

High and Low Months (2 cards)

All months in each year for each producer were scanned to determine the highest month and the lowest month. In addition, the three-year average monthly percents of annual average and of trend were scanned to determine the highest month and lowest month.

Selection of Study Farms

For intensive analysis the records were refined in respect to three things: (1) time in the five New England Federal order markets; (2) completeness with which delivery records reflected production; and (3) length of any temporary stop in deliveries. If a farm had uninterrupted delivery of milk for 36 months, the reported deliveries of milk represented all of its production, and if the total time lost on temporary stops was not over 26 weeks, the farm went into the study group. The reason for including the 114 farms with temporary stops was that the causes for stopping were oriented to farm operation. These reasons were: milk excluded from the market by the handler because it was considered unfit; cows were all dry at one time; sale of herd and purchase of new herd; the barn had burned; farm use of milk; and unknown. Some of these reasons may be questionable, but there is some element of operator decision. Drawing the line at 26 weeks was an arbitrary decision on what constitutes a "temporary" stop.

A second study group was set up which included all farms which were not delivering to the New England Federal order markets on June 30, 1962, which were not delivering in some other market, and for which deliveries represented all production up to the time of leaving the market. This group was not limited by the length of temporary stops.

In addition to the two study groups, there is a third group: farms that left to deliver elsewhere. Each of these three groups contained farms with partial records where deliveries did not reflect total production. In other words, there were 67 records where the farm delivered for 36 months but part of the milk produced was sold at retail or to a

⁶ G. W. Snedecor, Statistical Methods, Iowa State University Press, 5th Edition, pp. 282-285.

⁵C. I. Bliss, Periodic Regression in Biology and Climatology, Conn. Agri. Expt. Stat. Bulletin 615, June 1958.

nonregulated handler. There were 16 farms with deliveries representing partial production which left the New England markets and stopped production, and there were 19 with deliveries of partial production which left the market but continued delivery outside the New England Federal markets.

Consideration for refinement was also given to farms where whole farm units had been added or dropped. This is a way farms change size, but information on all farms which bought or sold land was not available. Therefore, even in those cases where it was known that a unit was added or dropped, the farms were not omitted from analysis. Final classification of farms into complete production record and partial record for each of the three groups resulted in an unwieldy number of groups for analysis.

Therefore, primary emphasis in the analysis of farm growth and seasonality was given to those farms where deliveries represented the total production of the farm for 36 months. For analysis of farms which left the New England markets, primary emphasis was given to those which stopped deliveries and for which recorded deliveries represented total production.

The primary concern, it is emphasized, was with patterns of annual change and of seasonality, and characteristics of farms which went out of milk production. Only secondarily was there concern in making inferences about market patterns. In other words, the first interest was in the behavior of individuals. The behavior of the entire market can be described better by market totals.

For those farms where only partial records were available, individual behavior could not be described. Farms which left the market but continued delivering elsewhere were not the farms which had gone out of production. There were 3,547 farms selected, representing one out of five which were delivering milk on July 1, 1959. How the 3,547 were classified for analysis is shown in table 3, in which the 2,656 study farms which had 36 months of complete delivery are shown classified by temporary stop and by location, distant or nearby. There were 1,648 study farms in the distant zone⁷ and 1,008 in the nearby zone⁷ (nearby includes intermediate). There were 674 study farms which left the market by stopping milk production within the 36-month period but delivery records represented complete production for the period when deliveries were being made.

Table 4 summarizes table 3 showing the proportion of distant and nearby farms for all sample farms and for study farms. Table 5 shows the proportion of farms which left the market for all farms and for study farms. There is no significant difference between all farms and study farms in the proportions of distant and nearby. There is a statistically significant difference between all farms and study farms in the proportion which left the market. This is to be expected because the percent of all farms which left the market includes not only farms which left the market and stopped production but also farms which left and continued delivery elsewhere. The latter group was not included for study farms in determining the percent which left the market. There is no significant difference between distant and nearby study farms in the proportions which left the market.

⁷The definition of "zone" is given on p. 5.

⁸When "significant" is used in re-rect to statistics of this report it means that the difference being discussed has a 5 in 100 or less probability of having occurred due to chance in sampling.

⁹This aspect is discussed later and the conclusion is reached that the proportion of nearby farms leaving the market may be higher when a correction is made for size of farm.

Table 3.--Distribution of all sample farms by length of milk delivery period, by completeness of record, and by farm location, 1959-1962

			DISTANT	FARMS				
	36-month de	eliveries	Left market					
Temporary stop	Complete	Partial	Stopped de	eliveries	Continued elsewhere			
	record	record	Complete record	Partial record	Complete record	Partial record		
			<u>F</u> arm	<u>18</u>				
Weeks								
0	1 , 551 72 16	20 7 4	381 25 15	6 1	66 2 2	11 3		
20-26 Over 26	9	9	7 7		1	1		
Total	1,661	40	435 7		71	15		
			NEARBY	FARMS				
0 1-9 10-19 20-26	991 10 4 3	15 5 4	233 2 2 1	7 2	25 1	4		
Over 26	5	3	11					
Total	1,013	27	239	9	26	4		
Study farms	2,656		674					
Nonstudy farms	² 18	67		16	97	19		
All farms	2,674	67	674	16	97	19		

¹ Throughout this study 1959-1962 refers to July 1, 1959, to June 30, 1962.

² Farms with a temporary stop over 26 weeks.

Table 4.--Distribution of all sample farms and study farms by location and by length of milk delivery period, 1959-19621

	ALL FARMS									
Farm location	Total	Percent	36-month	deliveries	Left	market				
	10041	of total	Number	% of total	Number	% of total				
Distant	2,229 1,318	63 37	1,701 1,040	62 38	528 278	66 34				
Total	3,547	100	2,741	2,741 100		100				
			STUDY	FARMS						
Distant	2,083 1,247	63 37	1,648 1,008	62 38	435 239	65 35				
Total	3,330	100	2,656	100	674	100				

¹ In this and following tables, note the number of observations for which percentages are computed. A sampling error due to chance in selecting observations of plus or minus 5 percentage points may occur when the number of observations is 100. For fewer observations, the error may be greater. For 2,500 observations the sampling error may be as much as 2 percentage points. Also, in computing percentages, figures were generally rounded to the nearest whole percent, but in all cases were made to add to 100.

Table 5.--Distribution of all sample farms and study farms by length of milk delivery period and by farm location, 1959-1962

·	ALL FARMS								
Delivery record		Percent	Distar	nt Farms	Nearby	y Farms			
	Total of total	Number	% of total	Number	% of total				
36-month deliveries	2,741 77 806 23		1,701 528	76 24	1,040 2 7 8	79 21			
Total	3,547	3,547 100 2,229 100		100	1,318	100			
			STUD	Y FARMS					
36-month deliveries Left market	2,656 674	80 20	1,648 435	79 21	1,008 239	81 19			
Total	3,330	100	2,083 100		1,247 100				

DESCRIPTION OF FARMS10

In this section some of the descriptive information available from the producer record cards is summarized. It provides background characteristics and introduces some of the dynamics of producer activity. Data are presented for 3,547 farms (2,741 were in the market 36 months; 806 left the market) and for 3,330 study farms (2,656 were in the market 36 months; 674 left the market). The 3,547 are classified by the average daily delivery in 36 months based on the actual time deliveries were made. The 3,330 study farms are also classified by the same average daily delivery but in addition are separated into "distant" and "nearby."

Since description of farms lends more to an appreciation of the total market situation, primary emphasis in explanations is given to the 3,547 sample farms. The reader may want to judge whether the study farms have characteristics similar to all farms.

State Location

Table 6 presents the State location of farms. The location distribution of farms (percent of all farms from each State on July 1, 1959) shows that Vermont led with 44 percent. The percent of farms in each State which left the market during the three-year

Table 6.--Location of all farms by length of milk delivery period, and by size of daily delivery, 1959-1962

			,					
Average daily delivery		FARMS IN MARKET 36 MONTHS						
	Vt.	Mass.	Conn.	N.Y.	Me.	N.H.	R.I.	Total
Pounds		Number						
0-244. 245-494. 495-994. 995-1,994. 1,995 & over.	188 398 442 197 27	48 102 137 66 23	38 115 155 100 13	17 37 91 92 27	40 90 81 23	20 51 49 14 1	6 14 25 11 3	357 807 980 503 94
Total	1,252	376	421	264	234	135	59	2,741
			FAI	RMS LEAV	ING MARI	ŒT		
0-244	146 89 51 12 2	48 27 16 7	28 36 23 8 2	29 33 19 13 2	74 38 9 2	44 16 11 1	9 7 2 1	378 246 131 44 7
Total	300	98	97	96	123	72	20	806
All farms Percent of total Percent of total leaving	1,552 44	474 13	518 15	360 10	357 10	207	79 2	3,547 100
market	19	21	19	27	34	35	25	23

¹⁰Farms covered by this report are categorized as follows: (1) All farms that were delivering milk at any time or at specified times to the five New England Federal order markets are referred to as "total farms in five New England markets," or simply as "total farms," (2) All farms in the sample are referred to as "all farms," or "sample farms." (3) The farms which were selected for study, as defined earlier, are referred to as "study farms."

Table 7.--Location of study farms by length of milk delivery period, and by size of daily delivery, 1959-1962

										
Average daily delivery		D	ISTANT FA	ARMS IN N	MARKET 36	5 MONTHS				
Average darry derivery	Vt.	Mass.	Conn.	N.Y.	Me.	N.H.	R.I.	Total		
Pounds		<u>Number</u>								
0-244	184 382 423 187 23	1 2 1		14 32 45 24 6	36 88 78 21	12 40 37 12		247 544 583 245 29		
Total	1,199	4		121	223	101		1,648		
			NEARBY F.	ARMS IN N	MARKET 3	6 MONTHS				
0-244	1 8 7 4 3	42 95 132 63 20	37 112 152 97 12	2 5 43 63 20	2	6 8 11 2 1	6 14 25 11 3	94 244 371 240 59		
Total	23	352	410	133	3	28	59	1,008		
			DISTAN	T FARMS 1	LEAVING N	MARKET				
0-244. 245-494. 495-994. 995-1,994. 1,995 & over.	138 85 43 9	1 1		17 17 3	60 26 7 1	15 5 4 1		231 134 57 12 1		
Total	276	3		37	94	25		435		
			NEAR	BY FARMS	LEAVING	MARKET				
0-244. 245-494. 495-994. 995-1,994. 1,995 & over.	3 2 1	44 25 12 6	27 33 21 8 1	2 3 8 8	1	14	9 7 1 1	100 68 45 23 3		
Total	6	87	90	21	Į.	15	19	239		
Total study farms Farms leaving Percent leaving	1,504 282 19	446 90 20	500 90 18	312 58 19	321 95 30	169 40 24	78 19 24	3,330 674 20		

period is also shown. These latter percents need to be interpreted with care. It appears that dropout was heaviest in Maine and New Hampshire. In both of these States the proportion of farms below 500 pounds average daily delivery was high (about 65 percent compared to about 45 percent in nearby States). Since, as will be seen later, dropout was heaviest among small farms, it is not surprising that dropout in Maine and New Hampshire was proportionately high. Among larger farms, dropout was less in Maine and New Hampshire than was true for nearby States.

State location of study farms is shown in table 7. In the summary of all study farms shown on the bottom of table 7, the proportion of farms by States which left is different than the proportions by States for all farms. This indicates that the farms with partial records and farms which continued elsewhere were proportionately higher in some States particularly in New Hampshire, than was true in other States.

Zone Location

All farms are classified by zone for payment of a location differential. The differential for the nearby zone is 46 cents, for the intermediate zone 23 cents, and for the distant zone no payment. Since the classification of farms into "distant" and "nearby" is extensively used in this study, there may be interest in the detail of this characteristic as shown in table 8. The intermediate farms are included for study with the nearby farms.

Table 8.--Zone location of all farms and study farms by length of delivery period, and by size of daily delivery, June 30, 1962

	FARMS IN MARKET 36 MONTHS							
Average daily delivery	Dista	Distant zone		Intermediate zone		Nearby zone		al
Pounds	All farms	Study farms	All farms	Study farms	All farms	Study farms	All farms	Study farms
0-244	258 554 601 257 31	247 544 583 245 29	5 1 11 1 12 2	5 1 11 1 11 2	99 248 368 234 61	94 239 360 229 57	357 807 980 503 94	341 788 954 485 88
Total	1,701	1,648	30	29	1,010	979	2,741	2,656
			FAF	MS LEAVI	NG MARKI	ΞT		
0-244	265 167 72 21 3	231 134 57 12	13 4 3	2 8 1 1	100 75 56 23 3	92 67 44 23 2	378 246 131 44 7	331 202 102 35 4
Total	528	435	21	11	257	228	806	674

Includes 2 farms shifted from distant to intermediate zone.
Includes 1 farm shifted from distant to intermediate zone.

Special Farms

There were several reasons why the Producer RecordSections in the market administrators' offices noted special features of farms. The main reason, however, was to account for highly irregular deliveries (changes from month to month which cannot be explained by "normal" variation). But all special characteristics may not have been accounted for. A cattle dealer's herd, for example, might have been so large that changes in level of deliveries were covered up. The characteristics noted in table 9 account for most of the 36-month farms where delivery records were not complete and which were therefore omitted from intensive study.

Table 9.--Special farms among all farms by length of delivery period and by size of daily delivery, 1959-1962

		FAF	MMS IN MARK	ET 36 MONT	HS				
A			Special farms						
Average daily delivery	Regular	Supplying Unregulated plant	Part retail sales	Cattle dealer	Other	All types			
Pounds		Farms							
0-244 245-494 495-994 995-1,994	347 792 957 486 89	6 10 14 10 3	3 2 4 6 1	2 1 1	1 3 3	357 807 980 503 94			
Total	¹ 2,671	43	<u>1</u> 6	4	7	2,741			
		I	FARMS LEAV	ING MARKET					
0-244. 245-494. 95-994. 995-1,994.	360 237 123 44 6	5 3 2	11 4 5	1	1 2 1	378 246 131 44 7			
Total	2 770	10	21	1	4	806			

¹ This total minus 18 farms with temporary stopover 26 weeks plus 3 of the cattle dealer farms equals 2,656 study farms.

This total minus 97 farms with complete records who continued delivery elsewhere plus the 1 cattle dealer farm equals 674 study farms.

Producing Units per Farm

What constitutes a separate farm unit is vague. The Producer Record Sections in the market administrators' offices indicated more than one farm unit when the producer was delivering milk from more than one location. This was not indicated, however, when there were two or more bulk tanks on the same farm. Since farms may be combined and deliver from one location, the number of units as shown is a poor indicator of the extent to which multiple farm units existed. From the data it appeared that at least 2 percent of all farms had more than one farm unit (tables 10 and 11).

Table 10.--Number of producing units per farm of all farms by length of milk delivery period and by size of daily delivery, 1959-1962

		FAF	MS IN MARK	KET 36 MONT	THS			
Average daily delivery	l unit	2 units	3 units	4 units	5 units	Total		
Pounds	<u>Farms</u>							
0-244	357 805 973 486 68	2 7 16 20	1 4	1	1	357 807 980 503 94		
Total	2,689	45	5	1	1	2,741		
		F	ARMS LEAVI	ING MARKET				
0-244	376 246 129 44 6	2	1			378 246 131 44 7		
Total	801	4	1			806		

Table 11.--Number of producing units per farm of study farms, by length of milk delivery period, and by size of daily delivery, 1959-1962

Arrana do dodina dolicare.		DISTAN	FARMS IN I	MARKET 36 1	MONTHS					
Average daily delivery	l unit	2 units	3 units	4 units	5 units	Total				
Pounds		Farms								
0-244	247					247				
245-494	542	2				544				
495-994	578	5				583				
995-1,994	231	13	1			245				
1,995 & over	20	8			1	29				
1,775 & OVCI	20					~ ~ ~				
Total	1,618	28	1		1	1,648				
		NEARI	BY FARMS IN	MARKET 36	MONTHS					
0.277	94					94				
0-244	244					244				
245-494	1	2				371				
495-994	369	2								
995-1,994	238	2	,	7		240				
1,995 & over	44	10	4	l		59				
Total	989	14	4	1		1,008				
100011111111111111111111	707		-7			,				

Table 11.--Number of producing units per farm of study farms, by length of milk delivery period, and by size of daily delivery, 1959-1962--(continued)

		· ·	•		,					
Avenege deily delivery		DIST	ANT FARMS L	EAVING MAR	KET					
Average daily delivery	1 unit	2 units	3 units	4 units	5 units	Total				
	Farms									
		DIS	TANT FARMS	LEAVING MA	RKET					
-244	229	2				231				
5-494	134	_				134				
5-994	56	1				57				
5-1,994	12		7			12				
995 & over			1			1				
Total	431	3	1			435				
		NE	ARBY FARMS	LEAVING MA	RKET					
244	100					100				
5-494	68					68				
5-994	45					45				
5-1,994	23					23				
995 & over	3					3				
Total	239					239				

Farm Transfers

Payments by a handler for milk are made to a person or persons. If a new name occurs it may represent a new producer on a new farm or it may represent a new producer name for a farm from which deliveries were previously received. Since the records for this study do not include new farms entering the market after July 1, 1959, all of the producer name changes encountered involved only name changes for farms where milk had previously been delivered. The Producer Record Sections in the market administrators' offices noted the reason for producer name changes.

A tabulation of the reasons given for changes is shown in tables 12 and 13. Of the 3,547 farms studied there were 525 or 15 percent with one or more name changes. Of these, 395 were recorded as "family transfer" and most of these (no tabulation was made) involved a change in name from an individual to a man-and-wife. There were 67 cases of two or more changes in producer name.

Change of name or farm transfer is an indicator of dynamics. The figure, 15 percent, may be high, low or normal. In any case, it indicates that a portion of farms in each year come under the direction of a new producer. It would take a more careful examination of each transfer to find out whether or not the name change actually changed the management of the farm.

Table 12.--Farm transfers of all farms by length of milk delivery period and by size of daily delivery, 1959-1962

		F	FARMS IN MARK	ET 36 MONT	THS					
Average daily delivery	No transfer	Family transfer	Farm purchased	Farm rented	Other	Total				
Pounds	Farms									
0-244	312 687 789 421 74	37 (4) 97 (9) 131 (10) 65 (9) 13 (1)	8 (1) 18 (5) 55 (9) 15 (3) 4 (2)	3 2 1 2	2 (1) 3 1 (1) 1	357 807 980 503 94				
Total	2,283 83	343 (33) 13	100 (20)	(⁸)	7 (2) (²)	2,741 100				
			FARMS LEAVI	NG MARKET						
0-244 245-494 495-994 995-1,994	360 216 114 42 7	16 23 (4) 12 (2) 1 (1)	2 (1) 5 4 (1)	1	1 1 1	378 246 131 44 7				
Total	739 92	52 (7) 7	11 (2) 1	(¹ / ₂)	³ (²)	806 100				

¹ Figures in parentheses indicate the number of farms for which more than one transfer occurred.

Table 13.--Farm transfers of study farms by length of milk delivery period, and by size of daily delivery, 1959-19621

A	DISTANT FARMS IN MARKET 36 MONTHS									
Average daily delivery	No Family transfer transfer		Farm purchased	Farm rented	Other	Total				
Pounds			Farms							
0-244. 245-494. 495-994. 995-1,994. 1,995 & over.	216 447 445 191 20	24 (3) 78 (7) 92 (8) 42 (7) 7 (1)	7 (1) 16 (5) 44 (8) 11 (2)	2	1 (1) 2 1 (1) 1	247 544 583 245 29				
Total	1,319	243 (26)	79 (16)	2	5 (2)	1,648				

² Less than 0.5 percent.

Table 13.--Farm transfers of study farms by length of milk delivery period, and by size of daily delivery, 1959-19621--(continued)

4								
Average daily			NEARBY	FARMS	S IN MAR	KET 36 MON	ITHS	
delivery	No transfer	l	ily sfer	_	arm chased	Farm rented	Other	Total
		Farms						
0-244 245-494 495-994 995-1,994 1,995 & over	81 225 322 219 49	12 17 38 18 5	(1) (2) (2) (1)	1 1 8 2 3	(1) (2)	1 2 1 2	1	94 244 371 240 59
Total	896	90	(6)	15	(3)	6	1	1,008
			DISTA	NT FA	RMS LEA	VING MARKE	T	
0-244 245-494 495-994 995-1,994 1,995 & over	219 113 45 11	10 15 9 1	(4) (2) (1)	2 4 2	(1)	1	1	231 134 57 12 1
Total	389	35	(7)	8	(1)	1	2	435
			NEARE	BY FAR	MS LEAV	ING MARKET		
0-244 245-494 495-994 995-1,994 1,995 & over	95 63 43 22 3	5 5 1		1	(1)		1	100 68 45 23 3
Total	226	11		1	(1)		1	239

¹ Figures in parentheses indicate the number of farms for which there was more than one transfer.

Handler and Plant Changes

There are many reasons why farms shift either from one handler to another or from one plant to another of the same handler. Some of these reasons are producer oriented and some are handler oriented.

Among the 3,547 farms about a quarter changed handler¹¹ one or more times in the three-year period. (The 309 farms not classified¹² did not change handler.) Looking only at plant changes, again about one-quarter of the farms shifted plants one or more times. (The 309 farms not classified did considerable plant shifting.) Taking both handler and plant into consideration, 43 percent of the farms either shifted handler or plant or both at least once (table 14).

Handler and plant shifting was more prevalent in the distant zone than in the nearby zone (table 15).

¹¹ The word "handler" refers to the first receiver who takes the responsibility for movement of the milk from the farm into marketing channels. A single handler may have more than one plant or station where milk is received.

¹² The 309 farms not classified shipped to a single handler who supervised the distribution of the milk. Some of the milk went to plants of this handler and some went to other processors, but since the other processors did not have primary responsibility for distribution they have been classified as plants of the first receiver. The 309 farms were not classified as to number of plant changes because the changes were a combination of primary receiver plant change and intrahandler shifting of milk.

Table 14.--Handler and plant changes of all farms by length of milk delivery period and by size of daily delivery, 1959-1962

				Tota1			357	807 980	503 94	2,741		378	131 44	806
			Not	Clas- sified			18	62 105	63	266		10	122.1	43
		-	4)		3 or more		Н			-1				
			or More		2		,	~		2				
			Three o		П		9	М	1	10		дα	Ų	П
			日日		0		α ;	12	5	38		Н <	t	5
	36 MONTHS				3 or more									
J		5			~			П	H	7				
	MARKE	hange	Two	Changes-	Н		Н,		2	5	RKET		н	н
1965	FARMS IN MARKET	Number of Handler Changes		Plant C	0		19	36	30	115	FARMS LEAVING MARKET	11	v M 4	20
1959-1962	FAR	f Han			3 or more		1	- R	٦	4	LEAV			
		nber c	(I)	Number of	~		0.0	5 Z	4	34	FARMS	Н	н	2
		Nur	One		-1		6	23	7 7	54		2		13
					0		70	139	70	439		58	18	105
					3 or more		П (2 1	2	9				ч
			d)		2		w i	1 4	пп	22		_	10	м
			None		1	•	20	115	10	284		16	120	43
					0		197	4T6 524	281	1,459		273	87 26	567
			Average daily	A.Taar		Pounds	0-244	495-994	995-1,994 1,995 & over	Total		0-244	495-994 995-1,994 1,995 & over	Total

Table 15.--Handler and plant changes of study farms by length of milk delivery period, and by size of daily delivery, 1959-1962

		Total				247 544 583 245 29	1,648		94	371 240 59	1,008
		Not Clas-	sified						18	103 63 18	264
		Ψ	1	3 or more						1	1
	1	or More	1	2		N	7				
	1	Three	1			н нн	3				
CHS	 			0		981 S	12	SH	€ 60	12	29
e Mon	nges-		ges	3 or more			ł	TNOM 9			
KET 3	r Cha	<u>o</u>	Plant Changes-	2		Н	П	KET 3		Н	1
IN MAF	Handler Changes	Two	Plant	1		7777	5	N MAR			
ARMS	of		er of	0		74 18 18 11	51	ARMS 1	11	2 8 8	55
DISTANT FARMS IN MARKET 36 MONTHS	-Number		-Number of	3 or more		22	W	NEARBY FARMS IN MARKET 36 MONTHS	. ⊣		Н
DIS	!	υ		2		98 10 10 13	30	NE	Н	н	\sim
	1 1	Ome	' '	1		9 22 17 3	51		Н		Н
	1			0		51 87 82 26 4	250		15	39 10	169
				3 or more		7 7 7 7	9				
	1	a).		2		11 7 7 7 1	21				
	1	None	-	П		19 92 110 41	270		N :	лмч	11
	1		-	0		143 298 335 153 14	943		47	176 120 25	474
		Average daily	delivery		Pounds	0-244	Total		0-244	495-994 995-1,994 1,995 and over.	Total

Table 15.--Handler and plant changes of study farms by length of milk delivery period, and by size of daily delivery, 1959-1962--(Continued)

		Total					231	122	435		100	23 45	239
		Not Clas-	sified								10	1721	41
	1 1 1 1 1 1	Three or More	1 1 1 1 1 1	1 2 3 or more			П С	1	3				
	1 1 1	dT.	1	0			^	1	7			ı	2
FARMS LEAVING MARKET	-Number of Handler Changes	Two	Plant Changes	0 1 2 3 or more	DISTANT FARMS LEAVING MARKET		τU	1 1	7 1	NEARBY FARMS LEAVING MARKET	90		10
DISTANT	of Hand		of	3 or more	DISTAN					NEARBY			1
	umber	Ome	-Number	~~			Н		н				
	1	0	1	Н			5 7	· H	ដ		Н		
	1			0	İ		37	₩ ~	62		71,	. 20	28
	1		1	3 or more				Н	Н				
	1	ne	1	2			7	2	т				
	1	None	1	Н			16	9 8	39		-	Н	2
	1		1	0			164 94	38	303		69	13	155
		Average daily	delivery			Pounds	0-244245-494	495-994	Total	Pounds	0-244	495-994 995-1,994 1,995 and over.	Total

Market Changes

A market change was a move from one New England Federal order market to another New England Federal order market. A farm could change a second time by going to a third New England market or by going back to its original market.

Twelve percent of the 3,547 farms changed market one or more times (tables 16 and 17). The level of market shifting was significantly higher for distant farms (at 18 percent) than it was for nearby farms (at 3 percent).

Table 16.--Changes between markets of all farms by length of milk delivery period, and by size of daily delivery, 1959-1962

		FAR	MS IN MARK	ET 36 MONT	HS					
Average daily delivery	No changes	l change	2 changes	3 changes	4 or more changes 1	Total				
Pounds	Farms									
0-244 245-494 495-994 995-1,994	312 705 839 ² 441 79	10 27 61 30 6	24 43 48 19 4	10 21 13 4 2	1 11 19 9 3	357 807 980 503 94				
TotalPercent	2,376 86	134 5	138 5	50 2	43 2	2,741 100				
]	FARMS LEAV	ING MARKET						
0-244 245-494 95-994 95-1,994	347 226 118 38 7	18 6 7 4	10 10 5 1	2 3 1	1 1 1	378 246 131 44 7				
Total	736 92	35 4	26 3	6 1	3 (³)	806 100				

¹ Seven changes were the largest number reported.

The object of the description of farms has been to provide some detail on the characteristics of all farms sampled, to compare all farms with the study farms, and to indicate some of the dynamics. All farms were examined as two groups: those which were in the market 36 months, and those which left the market. Within each of these groups there was also a size classification based on the time actual deliveries were made during the three-year period.

This presentation brought out the main reason for eliminating farms among the 36-month group--that the eliminated farms were "special," that is, the delivery records were incomplete because part of the milk produced was not delivered to the Federal markets. Farm transfers, handler and plant changes, and market shifts were more

² Includes 1 farm shipping to 2 markets simultaneously.

³ Less than 0.5 percent.

Table 17.--Changes between markets of study farms by length of milk delivery period, and by size of daily delivery, 1959-1962

		DIST	ANT FARMS I	N MARKET 3	6 MONTHS				
Average daily delivery	No changes	l change	2 changes	3 changes	4 or more changes	Total			
Pounds	<u>Farms</u>								
0-244 245-494 495-994 995-1,994 1,995 & over	204 451 458 193 18	10 23 51 23 4	22 42 46 19 4	10 19 10 4 2	1 9 18 6 1	247 544 583 245 29			
Total	1,324	111	133	45	35	1,648			
		NEARB?	Y FARMS IN	MARKET 36	MONTHS				
0-244 245-494 495-994 995-1,994 1,995 & over	92 235 362 234 56	4 4 4 2	2 1 2	2 3	2 2 1	94 244 371 240 59			
Total	979	14	5	5	5	1,008			
		DIS	TANT FARMS	LEAVING MA	RKET				
0-244 245-494 495-994 995-1,994 1,995 & over	205 116 47 9 1	14 5 6 1	9 9 3 1	2 3 1	1 1 1	231 134 57 12 1			
Total	378	26	22	6	3	435			
		NE.	ARBY FARMS :	LEAVING MA	RKET				
0-244 245-494 495-994 995-1,994 1,995 & over	98 67 45 21 3	2	1			100 68 45 23 3			
Total	234	4	1			239			

prevalent among the 36-month farms than among the farms leaving the market. But this might well have been due to the fact that farms which left the market were observed for less than 36 months. The distant study farms showed more change than the nearby study farms for these three aspects.

FARMS WHICH LEFT THE MARKET

During the three-year period of the study, 806 farms or 23 percent of the total number left the five New England Federal order markets. This is considerably higher than the 12 percent drop in the total number of farms shipping to these markets as shown by Federal Milk Order Market Statistics (table 18), because in the study, only farms shipping on July 1, 1959, were followed while the Market Statistics includes farms added after July 1, 1959.

The proportion of farms in the study which dropped out each year was not constant. In the first two years 7 percent dropped out and in the third year 11 percent. A comparable difference occurred in the Market Statistics data--3, 2, and 8 percent, respectively, for the three years (table 18).

Although the State location of farms which left the market is shown in tables 6 and 7, for simplicity the location of farms leaving the market is classified into distant and nearby, and limited for intensive analysis to the "study-group" farms. For all farms selected, 24 percent of the distant farms and 21 percent of the nearby farms left the Federal order markets from July 1, 1959, to June 30, 1962 (table 5). The difference of 3 percentage points is not significant. For the study farms, 21 percent of distant farms and 19 percent of nearby farms stopped producing milk. The difference is not significant.

Table 18.--Number of total and sample farms shipping milk in July, 1959-1962

	Shipping du	ring July	Decrease						
Year	Total farms¹	Sample farms	Total farms	Sample farms	Total farms	Sample farms			
		<u>Number</u>	<u>Percent</u>						
1959	17,530	3,547	493	238	3	7			
1960	17,037	3,309	265	227	2	7			
1961	16,772	3,082	1,302	341	8	11			
1962	15,470	2,741							
Total 3 years			2,060	806	12	23			

¹ Federal Milk Order Market Statistics, 1960 and 1961 Supplements to Statistical Bulletin No. 248 and Statistical Bulletin No. 335, Milk Marketing Orders Division, Agricultural Marketing Service, U.S. Department of Agriculture.

Size

Using first-year average daily delivery, the size of farms leaving the market is shown in table 19. In this three-year period, half of the farms delivering an average of less than 245 pounds of milk per day in the first year left the market. Also, more than half of those leaving the market averaged less than 245 pounds of milk. There is some bias in this analysis 13 because average daily delivery in this case is simply total deliveries for the year divided by 365 days. There is no question, however, that it was primarily small farms which went out of production.

Table 19.--Number of all farms and number of study farms in first year and number which had left market by June 30, 1962, by size of daily milk delivery

Average daily		ALL FARMS					
delivery	First year total	arket					
<u>Pounds</u>	Number	Number	Percent				
0-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 & over	841 1,072 642 431 348 122 61	426 220 81 35 26 12 6	51 21 13 8 7 10 10				
Total	3,547	806	23				
	DISTANT STUDY FARMS						
0-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 & over	536 687 392 228 160 51 24 5	257 114 35 19 8 1	48 17 9 8 5 2 4				
Total	2,083	435	21				
	NE.	ARBY STUDY FARMS					
0-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 & over	215 324 226 186 175 64 33 24	110 62 32 9 16 8 2	51 19 14 5 9 12 6				
Total	1,247	239	19				

 $^{^{13}}$ Correction for this bias can be made using the data in table 6.

Location

In comparing distant and nearby farms for the proportion in each size category which left the market a paradox arises. Among study farms a higher proportion of distant farms than of nearby farms stopped deliveries. In spite of this, in each size category (except the 745-994 group) the proportion of farms stopping deliveries was higher for nearby farms than for distant farms. In the 995 and over categories, the proportion of nearby farms stopping deliveries is significantly higher than the proportion of distant farms stopping. The paradox of a higher overall proportion of distant farms leaving but lower proportion in each size group is explained by the fact that the proportion of small farms was higher among distant farms than among nearby farms. It was for small farms that the proportion which stopped deliveries was highest.

Thus, the data show that farms which left were primarily small and that, although the proportion which stopped initially appears to be about the same in both the distant and nearby areas (no significant difference), a higher proportion of nearby than of distant farms stopped in most size groups. The latter, at least, was true for farms delivering 995 pounds or more milk per day.

Reasons for Leaving

The reason why a farm left the market was noted by the market administrators' offices and these reasons have been grouped into what is shown in table 20. "Left farm" includes reasons such as death, sickness, farm combination, sale of farm, moving, and stopping dairy farming. The other reasons are as shown. The terms "shifted to non-Federal handler" and "plant became non-Federal" refer only to shifts from New England Federal order markets. Shifts out of the New England area to the New York Federal order market would appear in these categories.

The largest proportion of those who left the New England market went out of dairying. At least 63 percent who left may be presumed to have sold the dairy herd and continued living at the farm.

The reasons for leaving among the 674 study farms do not include "shifted to non-Federal handlers," "plant became non-Federal," and "retail milk." These farms were presumed to have continued deliveries elsewhere. For the study farms there was a significantly higher proportion of nearby farms than of distant farms where the owner left the farm when milk deliveries stopped (table 21).

Table 20.--Reasons 806 of all farms left market by size of daily milk delivery, 1959-1962

Sold herd or cows dry	Left farm	Ex- cluded ¹	Shifted to non- Federal handler ²	Plant became non- Federal ²	Started retailing milk	Barn burned	Un- known	Total leav- ing market
				<u>Farms</u> -				
255	29	18	10	22	7		37	378
150	27	3	16	21	4	2	23	246
78	18		16	5	3	3	8	131
21	11	1	6	3			2	44
3			2		1	1		7
507 63	85 10	22 3	50 6	51 6	15 2	6 1	70 9	806 100
	herd or cows dry 255 150 78 21 3	herd or cows dry left farm 255 29 150 27 78 18 21 11 3 507 85	herd or cows dry left farm cluded left cluded left cluded left state cluded left state left cluded left state left cluded left state	herd or cows dry left farm cluded left cluded left to non-Federal handler left left farm cluded left to non-Federal handler left left left left left left left left	herd or cows dry left farm Ex- cluded¹ Shifted to non- Federal handler² Plant became non- Federal² 255 29 18 10 22 150 27 3 16 21 78 18 16 5 21 11 1 6 3 3 2 507 85 22 50 51	herd or cows dry left farm Ex-cluded¹ Shifted to non-Federal handler² Plant became non-Federal² Started retailing milk 255 29 18 10 22 7 150 27 3 16 21 4 78 18 16 5 3 21 11 1 6 3 1 3 2 1 15	herd or cows dry left farm Ex-cluded¹ Shifted to non-Federal handler² Plant became non-Federal² Started retailing milk Barn burned 255 29 18 10 22 7 150 27 3 16 21 4 2 78 18 16 5 3 3 21 11 1 6 3 3 1 1 507 85 22 50 51 15 6	herd or cows dry Left farm Ex-cluded¹ Shifted to non-Federal handler² Plant became non-Federal² Started retailing milk Barn burned Un-burned 255 29 18 10 22 7 37 150 27 3 16 21 4 2 23 78 18 16 5 3 3 8 21 11 1 6 3 2 1 1 507 85 22 50 51 15 6 70

Table 21. -- Reasons 674 study farms left market by size of daily milk delivery, 1959-1962

		DISTANT STU	IDY FARMS		
Sold herd or cows dry	left farm	Excluded ¹	Barn burned	Unknown	Total leaving market
		<u>F</u> arms	}		
184 104 41 9	15 15 10 1	11 2	1 2 1	21 12 4 1	231 134 57 12
338 78	41 9	14 3	4 1	3 8 9	435 100
		NEARBY STUDY	FARMS		
65 43 33 12 3	14 12 8 10	6 1	1	15 11 4 1	100 68 45 23 3
156 66	44 18	7 3	(¹ / ₂)	31 13	239 100
	184 104 41 9 338 78 65 43 33 12 3	184 15 104 15 41 10 9 1 338 41 78 9 65 14 43 12 33 8 12 10 3 156 44	Sold herd or cows dry Left farm Excluded¹	herd or cows dry Left farm Excluded¹ Barn burned 184 15 11 104 15 2 1 <td< td=""><td>Sold herd or cows dry Left farm Excluded¹ Barn burned Unknown 184 15 11 21 104 15 2 1 12 41 10 2 4 9 1 1 1 338 41 14 4 38 78 9 3 1 9 NEARBY STUDY FARMS 65 14 6 15 11 43 12 1 1 11 33 8 4 1 1 11 33 8 4 1 1 1 33 8 4 1 1 1 33 8 4 1 1 1 3 1 1 1 1 1 33 1 4 1 1 1 1 33 1 4 1 1</td></td<>	Sold herd or cows dry Left farm Excluded¹ Barn burned Unknown 184 15 11 21 104 15 2 1 12 41 10 2 4 9 1 1 1 338 41 14 4 38 78 9 3 1 9 NEARBY STUDY FARMS 65 14 6 15 11 43 12 1 1 11 33 8 4 1 1 11 33 8 4 1 1 1 33 8 4 1 1 1 33 8 4 1 1 1 3 1 1 1 1 1 33 1 4 1 1 1 1 33 1 4 1 1

¹ Handler refused to accept milk because of low quality.

 $^{^{1}}$ Handler refused to accept milk because of low quality. 2 Producer or plant shifted to a market other than the five New England Federal order markets.

² Less than 0.5 percent.

ANNUAL AVERAGE DAILY DELIVERIES

At this point an important facet of farm characteristics, level of average daily delivery, is presented using an average based on the total delivery in each year divided by the total days in the year. Up to this point average daily delivery was used based on the total delivery for three years divided by the days when delivery was made. This shift facilitates discussion of the dynamics of change.

Tables 22, 23, and 24 present a detailed description of the size distribution of all farms included in the study. These tables demonstrate for all farms the decline in the number and proportion of small farms and in the amount and proportion of milk delivered by small farms. Table 25 presents the proportion of farms and proportion of total delivery in each size category for distant and for nearby farms which are used for study. There is a significant difference between distant and nearby farms in the size distribution of farms. Distant farms included a higher proportion of small farms than nearby farms (45 percent below 495 pounds compared to 32 percent in the nearby area). This, of course, went along with considerably higher average daily delivery in the nearby area than in the distant area (table 26).

By reasoning it is possible to determine from the material in table 26 that part of the marketwide increase in average daily delivery was due to growth in farms which continue to deliver milk and part to small farms stopping delivery. In the three-year period, about two-thirds of the marketwide increase in average daily delivery resulted from increase in average size of farm operation and one-third from cessation of operation by smaller farms. In other words, those farms which continued delivery over the entire three-year period showed an average increase of about 12 percent. This is two-thirds of the total increase in average daily delivery of 18 percent. A more detailed analysis of changes in annual average daily delivery follows:

Table 22.--Number and total daily milk delivery of all farms by length of delivery period, and size of daily delivery, 1959-1960

			1	NUMBER OF	FARMS					
Average daily		Study f	`arms		Nonstudy farms					
delivery	36 I	months	Left r	market	36	Left	Total	Pct. of total de-		
	Distant	Nearby	Distant	Nearby	mos.	market		livering		
Pounds				Farı	ns					
0-4				1		1	2			
5-244	279	105	257	109	31	58	839	24		
245-494	573	262	114	62	.17	44	1,072	30		
495-744	357	194	35	32	10	14	642	18		
745-994	209	177	19	9	10	7	431	12		
995-1,494	152	159	8	16	11	2	348	10		
1,495-1,994.	50	56	1	8	4	3	122	3		
1,995-2,994.	23	31	1	2	1	3	61	2		
2,995 & over	5	24			1		30	1		
Total	1,648	1,008	435	239	85	132	3,547	100		
			TO	TAL DAILY	DELIVE	ŖΥ				
				Pound	<u>ls</u>					
0-4										
5-244	47,100	17,600	31,400	13,300	3,900	7,600	120,900	5		
245-494	209,100	95,900	40,200	21,900		000, 15	388,600	18		
495-744	217,000	119,200	20,200	18,700	6,000	9,500	389,600	18		
745-994	179,000	151,900	15,800	7,500	8,600	5,900	368,700	17		
995-1,494	183,000	193,600	9,700	18,800	12,700		420,300	19		
1,495-1,994.	84,100	94,200	1,600	13,700	7,100		205,900	9		
1,995-2,994.	51,600	73,900	2,400	4,600	2,800		142,500	7		
2,995 & over	24,800	108,300			7,300)	140,400	7		
Total	995,700	854,600	121,300	98,500	54,900	51,900	2,176,900	100		

Table 23.--Number and total daily milk delivery of all farms by length of delivery period, and by size of daily delivery, July 1, 1960-June 30, 1961

			N	UMBER OF	FARMS			
Average		Study fa	rms			Nonstu	ıdy farms	
daily delivery	36 m	onths	Left m	arket	36	Left		Pct. of total
	Distant	Nearby	Distant	Nearby	mos.	market	Total	deliver- ing
Pounds				<u>-</u> Farms	3			
0-4			118	70	3	51	242	
5-244	261	83	187	78	19	37	665	20
245-494	540	265	86	46	21	23	981	30
495-744	377	185	27	22	9	12	632	19
745-994	199	173	9	9	11	1	402	12
995-1,494	177	164	6	9	12	4	372	11
1,495-1,994.	64	76	2	3	5	3	153	5
1,995-2,994.	24	36		2	4	1	67	2
2,995 & over	6	26			1		33	11
Total	1,648	1,008	435	239	85	132	3,547	100
			TOTA	L DAILY I	ELIVERY			
				Pounds	3			
0-4								
5-244	44,700	13,900	23,400	10,000	2,300	5 , 100	99,400	4
245-494	197,400	95 , 700	30 , 900	15,900	7,700	7,600	355 , 200	16
495-744	230,300	114,000	15,800	12,900	5 , 500	7,700	386,200	18
745-994	172,300	149,300	7,600	7,800	9,800	700	347,500	16
995-1,494	209,300	197,400	8,000	10,600	14,700	4,900	444,900	20
1,495-1,994.	108,900	129,200	3,100	5,300	8,200	5,300	260,000	12
1,995-2,994 2,995 & over	55,000 29,800	86,100 126,700		4,500	9,600 7,000	2,400	157,600 163,500	7 7
2,777 & Over	27,000	120,700			7,000		100,000	
Total	1,047,700	912,300	88,800	67,000	64,800	33,700	2,214,300	100

Table 24.--Number and total daily milk delivery of all farms by length of delivery period, and by size of daily delivery, July 1, 1961-June 30, 1962

								
			NU	MBER OF	FARMS			
Avanaga		Study far	ms			Nonstu	dy farms	
Average daily delivery	36 m	onths	Left ma	rket	36	Left		Pct. of total
20217029	Distant	Nearby	Distant	Nearby	1	market	Total	deliver-
Pounds				Farms				
0-4 5-244 245-494 745-994 995-1,494 1,495-1,994. 1,995-2,994. 2,995 & over	237 485 399 205 212 64 39	91 236 178 183 169 81 41 29	230 157 33 9 3 3	152 50 23 5 2 5 2	17 17 14 10 15 5 5	83 37 7 1 3	465 589 801 605 404 407 153 85 38	19 26 20 13 13 5 3
Total	1,648	1,008	435	239	85	132	3,547	100
			TOTAL	DAILY D	ELIVERY			
0-4				- Pounds	<u></u>			
5-244 245-494 495-744 745-994 995-1,494 1,495-1,994. 1,995-2,994. 2,995 & over	41,000 177,500 245,800 175,200 252,000 111,100 89,200 35,300	15,000 86,300 109,000 158,200 203,100 137,800 97,900 144,700	15,600 11,100 5,500 2,400 3,800	5,100 8,000 3,300 1,700 5,900 3,800	2,100 6,100 8,500 8,800 17,700 8,400 12,300 11,300	4,300 2,600 800 3,600 1,900	83,100 291,600 372,100 347,100 486,100 263,000 199,400 191,300	4 13 16 15 22 12 9
Total	1,127,100	952,000	38,400	27,800	75,200	13,200	2,233,700	100

Table 25.--Percent of study farms and of their total daily milk delivery by size of daily delivery, 1959-1962

	PERCENT OF FARMS								
Average daily	Di	stant farm	S	Ne	earby farms				
delivery	First year	Second year	Third year	First year	Second year	Third year			
Pounds									
5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995-& over	17 35 22 13 9 3 1 (¹)	16 33 23 12 11 4 1 (¹)	15 30 24 12 13 4 2 (¹)	10 26 19 18 16 6 3 2	8 26 18 17 16 8 4 3	9 23 18 18 17 8 4 3			
		PERCEN	T OF TOTAL	L DAILY DE	LIVERY				
5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 & over	5 21 22 18 19 8 5	4 19 22 17 20 10 5	4 16 22 15 22 10 8	2 11 14 18 22 11 9	2 10 13 16 22 14 9	2 9 11 17 21 15 10 15			
Total	100	100	100	100	100	100			

¹ Less than 0.5 percent.

Table 26.--Average daily milk delivery by total farms in five New England markets, by all sample farms, and by study farms, 1959-1962

	AVERAGE DAILY DELIVERY						
Farm group	First year	Second year	Third year	Increase first to third year			
Total farms in five New England markets ¹ All sample farms delivering milk ²	610 614	- <u>Pounds</u> 654 670	718 725	Percent 18 18			
Study farms Distant Nearby	604 848	636 905	684 944	13 11			

¹ Federal Milk Order Market Statistics, 1960 and 1961 Supplements to Statistical Bulletin No. 248 and Statistical Bulletin No. 335, Milk Marketing Orders Division, Agricultural Marketing Service, U.S. Department of Agriculture.

² Average of all sampled farms which delivered during at least part of the year.

CHANGES IN ANNUAL AVERAGE DELIVERIES

Average Change by Size of Farms

One way of examining the change in level of annual average daily delivery relative to initial size of farms is to see what average change took place for farms which started at a given level. This examination per farm is presented in table 27 for all farms observed. Only the number and average of farms which made deliveries in each year are shown. The same presentation is made for the 1,648 distant study farms in table 28, and for the 1,008 nearby study farms in table 29. As is to be expected, the amount of increase in average daily delivery from one year to the next was closely related to the initial size of the individual farm. When the percent of increase is examined, the largest percentage increase occurred on the smallest farms but showed relative uniformity on all other size farms. That is, there was no consistent difference in the percentage increase in level

Table 27.--Number and average daily milk delivery per farm of all farms delivering milk by size of first year average daily delivery, 1959-1962

Average	Firs	t year	Secon	nd year
daily delivery	Number delivering			Av. delivery per farm
Pounds		<u>Pounds</u>		Pounds
5-244. 245-494. 495-744. 745-994. 995-1,494. 1,495-1,994. 1,995-2,994. 2,995 & over.	839 1,072 642 431 348 122 61	144 363 607 856 1,208 1,688 2,336 4,679	651 1,037 631 426 348 121 61	174 372 626 885 1,260 1,712 2,393 5,037
Total or average	¹ 3,545	614	3,305	670
Average	Thir	d year		e 1st-3rd ear
daily delivery	Number delivering	Av. delivery per farm	Pounds	Percent
Pounds		Pounds		
5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 & over	564 962 598 418 335 118 57 30	184 396 666 925 1,333 1,775 2,595 5,340	40 33 59 69 125 87 259	28 9 10 8 10 5 11
Total or average	3,082	725	111	18

¹ Two farms delivered milk for such a short period that their first year average was 0.

related to initial size of farm other than that farms below 245 pounds per day showed the greatest increase. The average amount of increase from year one to year three was greater for nearby farms than for distant farms, 96 pounds compared to 80, but the percentage increase was less, 11 percent compared to 13 percent.

Table 28.--Number and average daily milk delivery per farm of distant study farms by size of first year average daily delivery, 1959-1962

Average	Ave	erage deliv	ve r y per fa			
daily delivery	Farms	First year	Second year	Third year	Increase first-third ye	
<u>Pounds</u>	Number	Pounds	Pounds	Pounds	Pounds	Percent
5-244	279	169	189	208	39	23
245-494	573	365	385	421	56	15
495-744	357	608	643	689	81	13
745-994	209	857	903	958	101	12
995-1,494	152	1,204	1,257	1,344	140	12
1,495-1,994	50	1,683	1,716	1,860	177	11
1,995-2,994	23	2,242	2,296	2,445	203	9
2,995 & over	5	4,956	5,346	5,698	742	15
Total	1,648	604	636	684	80	13

Table 29.--Number and average daily milk delivery per farm of nearby study farms by size of first year average daily delivery, 1959-1962

Avenues deily		Average	delivery	per farm		
Average daily delivery	Farms	First year	Second year	Third year	Increase first-third ye	
<u>Pounds</u>	Number			Pounds		Percent
5-244	105	168	196	212	44	26
245-494	262	366	390	407	41	11
495-744	194	615	659	695	80	13
745-994	177	858	899	929	71	8
995-1,494	159	1,218	1,297	1,348	130	11
1,495-1,994	56	1,682	1,761	1,792	110	7
1,995-2,994	31	2,383	2,597	2,746	363	15
2,995 & over	24	4,510	4,890	5,167	657	15
Total	1,008	848	905	944	96	11

First to Third Year Change

A second analysis of change in level of annual average daily delivery shows average level distribution for 3,547 farms in the first year and the size distribution in the third year for the same farms (table 30). The analysis reveals first, that the drop to no delivery was greatest for small farms (as has already been noted); and, second, that in all size categories there were some farms that increased and some that decreased average delivery.

Table 30.--Number and percent of third year average daily milk delivery for all farms by first year average daily delivery, 1959-60 and 1961-62

First year	Total	Third year average daily delivery (pounds)									
average daily delivery	farms delivering	0- 4	5- 244	245 - 494	495 - 744	745 - 994	99 5- 1 , 494	1,495- 1,994	1,995- 2,994	2,995 & over	
Pounds				NUMBER	OF FAR	RMS DEI	IVERING				
0-4	2 839 1,072 642 431 348 122 61 30	2 275 110 44 13 13 4 4	439 126 14 8 2	110 619 59 8 4 1	10 199 347 44 4	1 12 157 208 23 3	4 6 20 146 218 13	1 3 71 72 5	1 12 28 43 1	1 9 28	
Total	3,547	465	589	801	605	404	407	153	85	38	
				PERCENT	C OF FA	ARMS DE	CLIVERING	r			
0-4	100 100 100 100 100 100 100 100	100 33 10 7 3 4 3 7	52 13 2 2 1	13 58 9 2 1	1 18 54 10 1	(1) 1 25 48 7 2	1 3 34 63 11	(1) 1 20 59 8 3	(1) 3 23 70 3	(¹) 15 94	

¹ Less than 0.5 percent.

At the bottom of table 30 the percentage distribution in the third year of farms which had a given first year level is shown. In this form it appears that a larger proportion of large farms showed increase than was true of small farms. One reason why this appears is that a larger proportion of small farms went out of dairying entirely. Tables 31 and 32, which deal with the study farms that delivered over the entire three-year period, show that the tendency for a larger proportion of large farms than of small farms to show increases was less evident.

An important consideration in all these analyses is to note the unequal sizes used for average daily delivery. However, the main point is not which size category is changing most. The main point is that for all size levels, some farms increased average delivery and some decreased.

Table 31.-- Number and percent of third year average daily milk delivery for distant study farms by first year average daily delivery, 1959-60 and 1961-62

First year	Total		Thi	rd year	avera	ige dai	ily deliv	very (pol	ınds)	
average daily delivery	farms delivering	0 - 4	5 - 244	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495 1,994	1,995- 2,994	2,995 & over
Pounds		NUMBER OF FARMS DELIVERING								
0-4	279 573 357 209 152 50 23 5		203 33 1	72 388 24 1	4 146 225 23 1	5 91 '99 9 1	1 16 85 106 4	1 32 30 1	4 15 20	2 5 7
	2,0.0		~				RMS DELIV			
0-4	100 100 100 100 100 100 100		73 6 (¹)	26 68 7 (¹)	1 25 63 11 1	1 26 47 6 2	(1) 4 41 70 8	(1) 21 60 4	2 30 87	9 100

¹ Less than 0.5 percent.

Table 32. -- Number and percent of third year average daily milk delivery for nearby study farms by first year average daily delivery, 1959-60 and 1961-62

				n. • 1				- /		
First year	Total		T		year av		daily de	elivery (pounds)	,'
average daily	farms	0-	5-	245-	495-	745-	995-	1,495-	1,995-	
delivery	delivering	4	244	494	744	994	1,494	1,994	2,994	& over
	<u> </u>							1		
Pounds			NUN	BER O	FARMS	S DELL	VERING			
2 /							- <u>-</u>			
0-4·············5-244········	105		75	26	2		٦			
245-494	262		16	26 1 92	2 47	1 6	1 1			
495-744	194		10	14	112	63	4	1		
745-994	177			3	16	100	57	1		
995-1,494	1 59			1	1	11	103	37	6	
1,495-1,994	56					2	3	39	12	-
1,995-2,994 2,995 & over	3 1 24							2 1	22 1	7 22
2,990 & Over	24									
Tot al	1,008		91	236	178	183	169	81	41	29
				OTINE A		ra Per	TITADTUG			
			PEF	CENT (JF FARM	AS DEL.	IVERING			
0-4	,									
5-244	100		71	25	2	1	1			
245-494	100		6	74	18	2	(¹)			
495-744	100			7	58	32	2	1		
745-994	100			2	9	56	32	1	,	
995 -1 ,494 1,495 -1 ,994	100 100			1	1	7 4	64 5	23 70	4 21	
1,995-2,994	100					4	J	6	21 71	23
2,995-& over	100							4	4	92

¹ Less than 0.5 percent.

Year-to-Year Changes

The third and most detailed examination of change in level of average daily delivery is a year-to-year size distribution of farms as shown in table 33 for 3,547 farms, table 34 for 1,648 distant study farms, and table 35 for 1,008 nearby study farms. In these tables the initial classification was first-year average level of delivery. For example, in the first year 245-494 pound group the number of farms was 1,072. Next the farms in each of the first-year groups were subclassified using the second-year average level of delivery. Of the original 1,072 in the first year 245-494 group, in the second year 35 delivered no milk; 103 delivered from 5-244 pounds; 805 delivered from 245-494 pounds; etc. The final classification was third-year average daily delivery which appears across the top of the table.

Reading across from the second-year total shows that, for the same 1,072 farms, in the third year 110 delivered no milk; 126 delivered 5-244 pounds; 619 delivered 245-494; etc. To the right of the second-year classification and below the third-year classification, it is evident how many of the 1,072 farms took each of the 81 possible paths leading from the first-year level of 245-294 pounds to the third-year levels. For example, there were 35 which delivered no milk in the second or third year; 48 which dropped from

Table 33.--Average daily milk delivery of all farms cross-classified in 3 years, 1959-1962

<u> </u>	-			1959	L962					
Average daily	m		Th	ird yea	ar aver	age da	aily del	ivery (po	ounds)	
delivery	Total	0 - 4	5 - 244	245 - 494	495 - 744	745- 994	995- 1,494	1,495- 1,994	1,995 2,994	2,995 & over
Pounds]	Farms-				
First year total	3,547	465	589	801	605	404	407	153	85	38
Second year 0-4 5-244 245-494 494-744 745-994 995-1,494 1,494-1,994 1,995-2,994 2,995 and over	242 665 981 632 402 372 153 67 33	238 154 43 20 4 3 2	2 443 123 17 3 1	1 66 666 59 5 3 1	2 142 416 42 3	4 114 250 33 2 1	3 6 96 284 18	2 43 98 10	2 32 50	5 33
First year 5-244	¹ 841	277	439	110	10	1	4			
Second year 0-4 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 and over	190 542 103 3 2	188 89	1 410 26 1	1 42 67	1 8 1	1	1 1 1			
First year 245-494.	1,072	110	126	619	199	12	6			
Second year 0-4 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 2,995 and over	35 103 805 121 6 1	35 48 26 1	32 89 5	23 576 19 1	110 88 1	3 8 1	1 3 1 1			
First year 495-744	642	44	14	59	347	157	20	1		
Second year 0-4	11 15 60 452 99 4	11 12 13 7 1	1 5 8	1 20 38	1 22 309 15	87 69 1	3 13 4	ļ		

Table 33.--Average daily milk delivery of all farms cross-classified in 3 years, 1959-62--Continued .

	1		1909-6	2Con	tinued					
Avenoge deily			Th	ird ye	ar ave	rage d	aily del	ivery (p	ounds)	
Average daily delivery	Total	0 - 4	5 - 244	245 - 494	495 - 744	745 - 994	995- 1,494	1,495- 1,994	1,995- 2,994	2,995 & over
Pounds						-Farms	<u>s</u>	-	- -	
First year 745-994	431	13	8	8	44	208	146	3	1	
Second year 0-4	5 4 8 47 270 97	3 4 2 3 1	1 3 3 1	2 2 4	1 18 24 1	19 171 18	2 68 76	1 2	1	
First year 995-1,494	348	13	2	4	4	23	218	71	12	1
Second year 0-4 5-244 245-494 495-744 745-994 995-1,494 1,495,1,994 1,995-2,994 2,995 and over	1 4 7 25 253 55 3	1 7 2 1	1	1	1 2 1	9 14	1 11 195 11	37 34	1 9 2	1
First year 1,495- 1,994	122	4		1	1	3	13	72	28	
Second year 0-4 5-244 245-494	1	1								
495 - 744	1	1								
995-1,494 1,495-1,994 1,995-2,994 2,995 and over	16 89 15	2		1	1	1 1 1	7 6	4 63 5	1 18 9	
First year 1,995- 2,994 Second year	61	4	-					5	43	9
0-4	1 1 7 47	1 1 1						1 4	5 38	4
2,995 and over	5	_								5

Table 33.--Average daily milk delivery of all farms cross-classified in 3 years, 1959-1962--Continued

		,								
			Tr	nird ye	ar ave	rage d	aily del	ivery (p	ounds)	
Average daily delivery	Total	0 - 4	5- 244	245 - 494	495 - 744	745 - 994	995- 1,494	1,495- 1,994	1,995- 2,994	2,995 & over
Pounds						Farms-				
First year 2,995 and over	30							1	1	28
Second year 0-4. 5-244. 245-494. 495-744. 745-994. 995-1,494.										
1,495-1,994 1,995-2,994 2,995 and over	2 28							1	1	28

¹ Includes two farms which averaged 0-4 pounds in the first year.

Table 34.--Average daily milk delivery of distant study farms cross-classified in 3 years, 1959-1962

Average			Third	l year	averag	e daily	delivery	(pound	s)
daily delivery	Total	5- 244	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495- 1,994	1,995- 2,994	2,995 & over
Pounds					Farms				
First year total	1,648	237	485	399	205	212	64	39	7
Second year 5-244 245-494 495-744 745-994 995-1,494 1,494-1,994 1,995-2,994 2,995 & over	261 540 377 199 177 64 24	208 29	53 409 23	99 280 20	1 70 119 15	2 4 60 142 4	20 43 1	17 22	1 6
First year 5-244	279	203	72	4					
Second year 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995/2,994 2,995 & over	222 56 1	192 11	30 42	3					
First year 245-494	573	33	388	146	5	1			
Second year 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 & over	38 459 76	16 17	22 357 9	83 63	1			-	
First year 495-744	357	1	24	225	91	16			
Second year 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 & over	1 23 274 56 3	1	1 10 13	12 204 9	54 37	3 10 3			

Table 34.--Average daily milk delivery of distant study farms cross-classified in 3 years, 1959-1962--Continued

		エノンノー	1702	OIIOIII	acu				
Average			Third	i year	averag	ge daily	delivery	(pounds	3)
daily delivery	Total	5 - 244	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495- 1,994	1,995- 2,994	2,995 & over
Pounds					Farr	ns			
First year 745-994	209	1	23	99	85	1			
Second year 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 & over	1 26 133 49	1	1 12 10	12 78 9	1 45 39	1			
First year 995-1,494	152		1	9	106	32	4		
Second year 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994	1 10 118 22 1		1	4 5	1 5 97 3	16 16	3 1		
First year 1,495-1,994	50			1	4	30	15		
Second year 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994	7 38 5			1	3 1	3 26 1	11 4		
First year 1,995-2,994	23					1	20	2	
Second year 5-244 245-494 495-744 745-994 1,495-1,994 1,995-2,994 2,995 & over	4 18 1					1	3 17	1 1	

Table 34.--Average daily milk delivery of distant study farms cross-classified in 3 years, 1959-1962--Continued

Average			Third	year	averag	e daily	delivery	(pounds	3)
daily delivery	Total	5- 244	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495- 1,994	1,995- 2,994	2,995 & over
Pounds			- 	-		-Farms			
First year 2,995 & over	5							5	
Second year 5-244	5							5	

Table 35.--Average daily milk delivery of nearby study farms cross-classified in 3 years, 1959-1962

			Thir	d year	averag	ge daily	delivery	(pounds	3)
Average daily delivery	Total	5 - 244	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495- 1,994	1,995- 2,994	2,995 & over
Pounds	-				<u>F</u> 8	arms			
First year total Second year	1,008	91	236	178	183	169	81	41	29
5-244. 245-494. 495-744. 745-994. 995-1,494. 1,495-1,994. 1,995-2,994. 2,995 & over.	83 265 185 173 164 76 36 26	75 16	8 211 15 1	35 127 16	2 43 121 14 2 1	1 33 126 9	2 21 51 7	2 14 25	3 26
First year 5-244 Second year 5-244	105 79	75 71	26	2	1	1			
245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 & over	26	4	8 18	2		1			
First year 245-494 Second year	262	1 6	192	47	6	1			
5-244. 245-494. 495-744. 745-994. 995-1,494. 1,495-1,994. 1,995-2,994. 2,995 & over.	4 222 33 3	4 12	18 6 6	23 23 1	1 4 1	1			
First year 495-744 Second year	194		14	112	63	4	1		
5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995 & over	14 139 39 1 1		- - 5 9	9 98 5	32 30 1	3 1	1		

Table 35.--Average daily milk delivery of nearby study farms cross-classified in 3 years, 1959-1962--(continued)

	Third year average daily delivery (pounds)									
Avenage deily delivery	Total		Thire	l year	averag	e daily	delivery	(pounds	<u> </u>	
Average daily delivery	TOTAL	5 - 244	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495 - 1,994	1,995- 2,994	2,995 & over	
Pounds					- <u>Far</u>	<u>ms</u>	- -		-	
First year 745-994 Second year 5-244	177		3	16	100	57	1			
245-494	2 13 120 42		1	6 10	7 85 8	23 34	1			
First year 995-1,494 Second year 5-244	159		1	1	11	103	37	6		
245-494	1 11 117 30		1	1	5 6	6 89 8	20 17	1 5		
First year 1,495-1,994 Second year 5-244 245-494	56				2	3	39	12		
745-994	4 43 9				1 1	`2 1	1 34 4	1 7 4		
First year 1,995-2,994 Second year	31						2	22	7	
995-1,494	2 25 4						2	2 20	3	

Table 35.--Average daily milk delivery of nearby study farms cross-classified in 3 years, 1959-1962--(continued)

			Third	d year	averag	ge daily	delivery	(pounds	3)
Average daily delivery	Total	5 - 244	245 - 494	495 - 744	745 - 994	995- 1,494	1,495- 1,994	1,995- 2,994	2,995 & over
Pounds					<u>Far</u>	<u>ms</u>			
First year 2,995 & over Second year 5-244	24						1	1	22
1,495-1,994	2 22						1	1	22

the first-year level of 245-494 to the 5-244 level in the second year and no milk level in the third year; 32 which dropped to the 5-244 level in both the second and third years; 23 which dropped to the 5-244 level in the second year but went back up to the 245-494 level in the third year.

One thing which became apparent from these tables was that about 20-30 percent of the farms shifted out of the initial size group from one year to the next and this continued into the next year. After two years, therefore, only about 50 percent of those in an initial size group were in the same group.

Another aspect of change which also became apparent was that, in the dynamic ebb and flow of individual farms, the underlying movement of the mass made itself felt. The distribution of all farms in the first year, then in the second year (totals category at top of table), and finally in the third year, shows the number of small farms decreasing and the number of large farms increasing.

In tables 36, 37, and 38 the data of tables 33, 34, and 35 are reexamined. This time the farms in each size category of a given year are examined for size category in the following year. The distribution for the following year is the percent of those in a given size group of the first year which went into the size categories of the following year. For example, in table 33 there are 665 farms shown in the 5-244 pound category of the second year. In the following year 154, or 23 percent, delivered no milk; 443, or 67 percent, were still in the 5-244 pound category; 66, or 10 percent, were in the 245-494 pound category; and 2, or less than .5 percent, were in the 495-744 pound category. The percentages appear in table 36 in the section for second or third year distribution on the line for the 5-244 pound category.

The change occurring in one year was, of course, less than that which occurred in two years, as shown in tables 29, 30, and 31. A comparison of the percentage distribution from one year to another, that is, a comparison of the year one to year two distribution with the year two to year three distribution, showed variation.

Table 36.--Percentage distribution of each previous year size category of all farms by size of average daily milk delivery in the following year, 1959-62

Average				rΑ	verage	daily	delivery	(pounds	1)	
daily delivery	Total	0 - 4	5- 244	245 - 494	495 - 744	745 - 994	995- 1,494	1,495- 1,994	1,995- 2,994	2,995 & over
Pounds				PI	ERCENT	IN SEC	OND YEAR			
First year 0-4 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,995-2,994 2,995-& over	100 100 100 100 100 100 100 100	100 23 3 2 1	65 10 2 1	12 75 9 2 1	(1) 11 71 11 2 1 2	(1) 1 15 63 7	(1) (1) 1 22 73 13	(1) (1) 16 73 11	1 12 77 7	8 93
				I	PERCENT	IN TH	IRD YEAR			
Second year										
0-4 5-244 245-494 495-794 795-994 1,495-1,994 1,995-2,994 2,995 & over	100 100 100 100 100 100 100 100	99 23 4 3 1 1	1 67 13 3 1 (1)	(1) 10 68 9 1 1	(1) 15 66 11 1	(1) 18 62 9 1	(1) 1 24 76 12	(1) 11 64 15	(1) 1 21 75	g 100

¹ Less than 0.5 percent

Table 37.--Percentage distribution of each previous year size category of distant study farms by size of average daily milk delivery in the following year 1959-62

				Ave	erage (daily (delivery	(pounds)	
Average daily delivery	Total	0 - 4	5 - 244	245 - 494	495 - 744	1	995 - 1,494	1,495- 1,994	1,995- 2,994	2,995 & over
Pounds				PI	ERCENT	IN SE	COND YEA	R		
First year 0-4 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,999-2,994 2,995 & over	100 100 100 100 100 100 100		80 7 (1)	20 80 6 (¹)	(¹) 13 77 12	16 64 7	1 24 77 14	14 76 17	1 10 79	4 100
				I	PERCEN'	I IN T	HIRD YEA	R		
Second year 0-4 5-244. 245-494. 495-744. 745-994. 995-1,494. 1,495-1,994. 1,999-2,994. 2,995 & over.	100 100 100 100 100 100 100		80 5	20 76 6	19 74 10	(i) 19 60 8	(¹) 1 30 81 6	11 67 4	27 92	4 100

¹ Less than 0.5 percent

Table 38.--Percentage distribution of each previous year size category of nearby study farms by size of average daily milk delivery in the following year, 1959-62

Average	m 1.3	Average daily delivery (pounds)											
daily delivery	Total	0 - 4	5 - 244	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495- 1,994	1,995- 2,994	2,995 & over			
<u>Pounds</u>					PERCI	ENT IN	SECOND	YEAR					
First year													
0-4 5-244 245-494 495-744 745-994 995-1,494 1,495-1,994 1,999-2,994 2,995 & over	100 100 100 100 100 100 100		75 2	25 85 7 1	12 71 7	1 20 68 7	1 24 73 7	1 19 77 6	16 81 8	13 92			
					PER	CENT I	N THIRD	YEAR					
Second year 0-4 5-244 245-494 495-744 745-994 1,495-1,494 1,495-1,994	100 100 100 100 100 100		90 6	10 80 8	13 69 9	1 23 70 8 3	(¹) 19 77 12	1 13 67 19	1 18 70				
1,999-2,994 2,995 & over	100		`			ر		19	70	100			

¹ Less than 0.5 percent.

Percentage Change Year to Year

The fourth and final analysis of change in annual level of delivery uses only those farms which made deliveries over the 36-month period (distant and nearby study farms). The farms in each zone were sorted into size groups on the basis of the first year's average daily delivery. Next a check was made on the percentage that the average daily delivery in the second year was of the average daily delivery in the first year. Each of these subgroups was then examined to see what percent third year delivery was of the second year (tables 39 and 40).

For example, in the distant zone there were 279 farms (table 39) which had a first year average daily delivery of under 245 pounds. Of these 279 there were 53 which showed little change from year one to year two (percent year two of year one category 95-104). From year two to year three the levels of average daily delivery among these 53 farms changed so that year three as a percent of year two ranged from below 75 percent to over 125 percent. Only 13 of the 53 which were stable from year one to year two were also stable (95-104) from year two to year three.

Many points could be discussed based on tables 39 and 40. One is that in both changes, year one to year two and year two to year three, the proportion of farms which were stable in the level of deliveries (percent 95-104) was considerably less than half. In other words, from year to year most farms changed more than 5 percent. A second point is an appreciable amount of reversing in direction of change. For example, in the distant farms size category 495-744 there were 32 farms (out of 357) which increased 5 percent or more from year one to year two but dropped over 5 percent from year two to year three. In the same group 47 dropped over 5 percent from year one to year two but increased 5 percent or more from year two to year three. In other words, 79 or 22 percent of the farms in this group reversed themselves from one year to the next.

The tables also point out that variability in change was not limited to a particular zone nor to a particular size group. Differences between zones or size groups or both in the proportion of farms showing given percentage changes could be investigated. The main point is, however, there was no one pattern of change. The most predominant pattern was an increase in both of the year-to-year changes, but even in this the percent of increase was highly variable from one year to another among the farms which increased in both years.

Table 39.--Percent of previous year's average daily milk delivery in two years for distant study farms by average daily delivery in the first year, 1959-1962

First year average daily		Third	i year	deliv	ery pe	rcent c	of 2nd	year
delivery and second year delivery percent of first year	Total	Below 75	75 - 84	85 - 94	95 - 104	105 - 114	115 - 124	125 & over
Total farms					Farms			
First year delivery Second year delivery percent of first year	1,648	31	64	192	446	435	240	240
Below 75 75-84 85-94 95-104 105-114 115-124 125 & over 5-244 lbs. lst year delivery. Second year delivery percent of lst year	40 85 234 455 435 196 203 279	2 3 10 6 3 2 5	2 6 13 11 14 3 15 18	3 5 21 49 59 31 24 45	4 23 50 143 120 60 46 60	3 20 60 124 137 50 41 48	4 11 37 80 52 27 29 34	22 17 43 42 50 23 43 64
Below 75	10 19 43 53 52 33 69 573	1 4 2 1	2 4 2 1 1 8 31	1 3 9 11 9 12 60	1 5 8 13 15 7 11 144	7 9 9 9 7 7 133	1 2 4 9 6 4 8 98	6 2 11 9 9 5 22 98
Below 75. 75-84. 85-94. 95-104. 105-114. 115-124. 125 & over. 495-744 lbs. lst year delivery. Second year delivery percent of lst year	16 35 85 164 137 61 75 357	2 4 1 2 7	1 3 7 7 7 1 5 7	1 2 11 17 16 8 5 37	2 11 14 48 39 12 18 106	1 6 18 37 39 14 18 109	2 5 15 35 16 12 13 50	9 8 18 16 19 14 14 41
Below 75. 75-84. 85-94. 95-104. 105-114. 115-124. 125 & over.	7 13 54 91 115 45 32	1 2 2 2 2	1 1 3	1 2 10 12 8 3	1 3 14 31 33 13	2 4 13 28 42 15 5	1 10 14 14 5 5	1 3 12 8 11 2 4

Table 39.--Percent of previous year's average daily milk delivery in two years for distant study farms by average daily delivery in the first year, 1959-1962--(continued)

	1-	1						
First year average daily	Total	Third	year o	delive	ry perc	ent of	2nd y	ear
delivery and second year delivery percent of first year	Total	Below 75	75 - 84	85 - 94	95 - 104	105 - 114	115 - 124	1.25 & over
				<u>I</u>	arms			
745-994 lbs. First year delivery Second year delivery percent of first year	209	2	6	26	70	55	27	23
Below 75. 75-84. 85-94. 95-104. 105-114. 115-124. 125 & over. 995-1,494 lbs. lst year delivery.	3 8 26 69 54 32 17	1	1 1 3 1	1 3 8 7 4 3	2 6 25 15 17 5	1 10 16 18 6 4	1 5 12 4 3 2	3 2 7 7 1 3
Second year delivery percent of first year Below 75	3 3 20 47 55 18 6	1	1	2 4 8 2 1	7 15 15 8 1	1 8 22 20 5 4	1 2 4 8 2	2 1 1 4
delivery Second year delivery percent of first year	50	1		3	13	22	8	3
Below 75	1 5 3 22 12 3 4	1		1	1 1 8 2 1	1 1 9 7 1 3	5 1 1	1 1 1
First year delivery Second year delivery percent of first year	28	1		4	7	8	6	2
Below 75 75-84	2 3 9 10 4	1		1 3	1 3 1 2	1 3 2 2	1 1 1 3	1

Table 40.--Percent of previous year's average daily delivery in two years for nearby study farms by average daily delivery in the first year, 1959-1962

	•		_					
		Third	year	delive	ery per	cent o	of 2nd	year
First year average daily de- livery and second year delivery percent of first year	Total	Below 75	75 - 84	85 - 94	95 - 104	105 - 114	115 - 124	125 & over
				-Farms	= - -			
Total farms First year delivery Second year delivery percent of first year	1,008	25	43	163	323	257	107	90
Below 75	25 24 120 299 289 153 98 105	1 3 9 3 8 8	2 5 20 5 5 6 10	5 17 43 53 25 15	7 6 37 98 100 51 24 23	3 5 33 77 76 43 20 18	2 3 13 33 29 17 10 9	7 2 12 19 23 12 15
Below 75	5 3 10 25 15 18 29 262	3 1 4 6	1 6 2 1 19	1 1 6 2 2 6 51	2 3 6 7 2 3 66	2 3 2 1 7 3 64	3 4 2 31	2 2 2 1 1 10 25
Below 75	4 9 41 81 65 31 31 194	1 3 2	1 1 8 2 2 5 5	1 2 7 13 15 8 5 35	1 3 11 21 17 6 7 61	1 14 21 13 7 8 42	2 3 11 7 5 3 33	2 4 4 9 3 3 17
Below 75	5 4 22 55 57 36 15	1	2 2 1	1 5 10 10 7 2	2 2 2 16 20 11 8	5 15 14 6 2	1 6 8 8 8	1 2 4 5 3 1

Table 40.--Percent of previous year's average daily delivery in two years for nearby study farms by average daily delivery in the first year, 1959-1962--Continued

		Third year delivery percent of 2nd year										
First year average daily de-	mata?	Third	year d	lelive	ry per	cent of	2nd y	ear				
livery and second year delivery percent of first year	Total	Below 75	75 - 84	8 5⊶ 94	95 - 104	105 - 114	115- 124	125 and over				
			F8	arms								
745-994 lbs. first year delivery Second year delivery percent of first year	177	3	3	27	70	50	12	12				
Below 75	7 2 20 58 52 32 6 159	1 2 5	1 2 4	2 1 4 4 11 4 1 15	8 23 20 17 1 65	1 6 16 15 10 2 43	1 7 1 2 14	1 1 5 3 1				
Below 75. 75-84. 85-94. 95-104. 105-114. 115-124. 125 and over. 1,495-1,994 lbs. first year delivery. Second year delivery percent of first year	1 5 18 49 56 20 10	1 1 2 2	1 3	1 5 6 3	1 9 22 23 7 3	2 3 11 17 7 3	3 4 6 1 3	1 1 3 4 3 1				
Below 75. 75-84. 85-94. 95-104. 105-114. 115-124. 125 and over. 1,995 and over lbs. first year delivery. Second year delivery percent of first year	1 8 17 25 2 3 55	1	1	2 5 1 8	1 4 6 8 1	1 7 9 1 1	1 2 5	2 1				
Below 75	2 1 1 14 19 14 4		1	3 4 1	4 5 7 2	2 1 5 7 5	2 2 1	1				

SEASONALITY OF DELIVERIES

Total Farms in Five New England Markets

There are many difficulties in dealing with an analysis of seasonality. The primary difficulty is finding a single measure to describe a seasonal pattern. Even if a measure were found, it can be shown that there is no one pattern, even on the average for a market or for a group of farms, which persists unchanged. For example, when the average daily delivery by months of producers in the five New England markets is expressed as a percentage of the average for the year (using July to June to correspond with this study), in the three-year period May varied from 116 to 121 percent of the annual level and there were differences in the percentages of all of the other months for the three year period (table 41, figure 1). This variation is often considered to be random and it is assumed that a basic or general pattern persists. The problem then becomes one of determining whether or not the assumption is correct.

In this section on seasonality these two problems -- finding a measure to describe seasonal, and testing for a change in the general pattern -- are dealt with in several ways. The primary emphasis is on the description of individual behavior, but comparisons of groups are also made.

Table 41.--Average daily milk delivery each month of total farms in five New England markets as a percentage of the annual average daily delivery, in each of three years, 1959-19621

Year	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June
	deste que, a			nt of a				-				
First Second Third	96 94 95	89 91 90	92 91 92	92 92 94	89 91 90	93 94 93	96 96 98	99 98 99	105 106 105	112 110 111	121 117 116	116 120 117

¹ Federal Milk Order Market Statistics, 1960 and 1961 Supplements to Statistical Bulletin No. 248 and Statistical Bulletin No. 335, Milk Marketing Orders Division, Agricultural Marketing Service, U.S. Department of Agriculture.




Figure 1

Size Groups

Generally, when the size of group examined becomes smaller, seasonal patterns become less consistent. For example, table 42 and figure 2 show more variation from year to year in the annual patterns of distant producers than there was in the year-to-year patterns for the five markets. Nearby producers, on the other hand, were about as consistent as the entire market. Also, the "general" pattern of distant producers was different than the "general" pattern of nearby producers.

Differences in the "general" patterns of groups of producers can be further illustrated by looking at the patterns of groups determined by size of milk delivery. (Size of delivery is the three-year average.) They show more "general" patterns. Large farms (995 pounds and over per day) have the lowest average delivery in July and August and reach a peak of production in May, compared to the usual November low and June high (table 43 and figures 3-6). The patterns of smaller groups within nearby producers were more variable from year to year than the pattern of the average of all nearby producers.

These data show that seasonal patterns vary from year to year (even for large groups), and that within large groups there are many subgroups with "general" patterns.

Table 42.--Average daily milk delivery each month of distant and nearby study farms as a percentage of the annual average daily delivery in each of 3 years, 1959-1962

Farm location & year	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June
1,648 distant farms			<u>Pe</u>	rcent c	f annu	ial ave	rage d	laily d	leliveı	<u>y</u>		
First Second Third	98 96 99	88 90 92	93 90 94	92 91 97	87 88 89	91 91 91	93 93 93	95 94 95	105 105 102	114 113 110	124 122 117	120 127 121
1,008 nearby farms												
First Second Third	90 91 92	90 93 93	94 95 95	96 96 97	95 96 94	99 98 97	102 100 102	104 102 103	106 105 105	108 106 107	112 110 110	104 108 105




Figure 2

Table 43.--Average daily milk delivery each month of distant and nearby study farms by size groups as a percentage of the annual average daily delivery in each of 3 years, 1959-1962

groups as a percenta	ige of	the an	uiuai av	erage	ually	петтие	ry III	each C)1) ye	ears,	⊥9J9 - .	1902
Average daily delivery, farm location and year	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June
			Perc	ent of	annua	al aver	age da	aily de	eliver	<u>y</u>		
Less than 495 pounds: 791 distant farms First Second Third	110	96	99	91	80	83	85	87	99	112	128	130
	106	98	95	89	82	83	84	87	100	112	125	139
	111	100	98	96	82	82	85	87	97	110	120	132
338 nearby farms First Second Third	102	100	100	98	91	91	93	95	98	104	115	113
	98	100	99	97	94	91	93	95	99	103	114	117
	101	99	99	97	90	90	93	96	100	106	114	115
495-994 pounds: 583 distant farms First Second	100	90	94	92	86	90	91	93	104	114	124	122
	97	92	91	91	87	90	91	92	105	114	122	128
	101	94	96	97	89	90	91	93	101	110	116	122
371 nearby farms First Second Third	94	93	94	94	93	97	99	102	104	109	114	107
	93	94	95	95	94	95	98	100	104	106	113	113
	95	93	95	96	92	94	100	101	104	108	113	109
995-1,994 pounds: 245 distant farms First Second Third	92	84	91	92	90	95	98	99	108	116	122	113
	90	84	87	92	92	95	98	99	109	114	120	120
	93	87	91	96	91	96	98	100	107	112	115	114
240 nearby farms First Second Third	87	88	93	96	95	100	105	107	109	108	110	102
	88	92	94	96	97	100	102	104	107	106	109	105
	91	92	94	96	94	99	104	105	107	107	109	102
1,995 & over: 29 distant farms First Second	80	71	85	94	98	105	107	108	110	115	119	108
	82	78	85	94	97	103	103	104	110	112	118	114
	84	76	88	100	100	101	107	104	106	110	115	109
59 nearby farms First Second Third	84	86	94	98	98	103	107	107	108	107	108	100
	87	89	94	97	99	102	105	106	107	106	106	102
	87	90	93	100	99	103	108	107	106	105	105	97

SEASONALITY IN MILK DELIVERY*

For New England Study Farms




Figure 3

AGRICULTURAL MARKETING SERVICE 19-0961 *AV. DAILY DELIVERY EACH MONTH AS PERCENTAGE OF ANNUAL AV. DAILY DELIVERY SEASONALITY IN MILK DELIVERY* 371 NEARBY FARMS 1959-60 OCT. JAN. For New England Study Farms 1961-62 APR. 1961-62 Av. Daily Deliveries Of 495-994 Lb. **583 DISTANT FARMS** ULY OCT. JAN. 19-0961 U.S. DEPARTMENT OF AGRICULTURE 1959-60 % OF ANN. AV. 00 80

Figure 4

Figure 5

Av. Daily Deliveries Of 1,995 Lb. & Over

SEASONALITY IN MILK DELIVERY*

For New England Study Farms




Figure 6

INDIVIDUAL FARM SEASONALITY

Different groups of farms within an area have different seasonal patterns and these patterns are not reproduced exactly from year to year. From this, it can be assumed that individual farms will have many seasonal patterns. This still leaves the question of how consistent individual farms have been from year to year in their own patterns.

One way of determining consistency of individual farms with themselves is to examine the consistency in the total amount of seasonal variation from year to year. The total variation may or may not be occurring in the same general pattern.

Amount of Seasonal Variation

Total variation in seasonal pattern can be measured by the standard deviation of monthly deliveries within the year. To make possible comparison of total variation from one year to another (if total deliveries vary from year to year) and from farm to farm (to account for differences in size of farm) the standard deviation is expressed as a percentage of the average level of delivery for the year. The standard deviation of deliveries as a percentage of annual average delivery is called the coefficient of variation.

A coefficient of variation of 10-19 (average for the group about 15) means that the difference in average daily deliveries between the lowest month and the highest month was about 45 percent of the average for the year. In other words, the highest month might be 123 percent of the average for the year and the lowest month about 78 percent of the average for the year. The average pattern for all these producers (the 946 in the 10-19 group) would show less variation than what was true of each one individually.

In tables 44, 45, 46, 47, 48, and 49 the coefficients of variation for six groups of farms for three years are presented. The six groups are three sizes, small (below 495 pounds average daily delivery over three years), medium (495-994 pounds), and large (995 pounds and over), each by distant and nearby.

In the tables, the class intervals for the coefficients of variation occur three times. The class intervals for the first year are labeled first year (notice that a total section occurs at the top). The class intervals for the second year are repeated within each class interval of the first year. The third-year class intervals of the coefficients of variation are given across the top of the page. Since there are six class intervals, there are $6 \times 6 \times 6$ or 216 places where an individual farm could be in this distribution.

Table 44, which is the presentation for 791 small distant farms, shows the figure 791 at the top left-hand position. The first-year class intervals, to the right of total for each of the first-year class intervals, shows how these 791 farms were distributed in the first year. For example, there were 10 farms in the 1-9 class, 160 farms in the 10-19 class, 260 farms in the 20-29 class, etc.

The numbers to the right of the second-year class intervals under the subheading "second year," reading down in the total section at the top of the page, show how all of these 791 farms were distributed in the second year. There were six in the 1-9 class, 163 in the 10-19 class, 255 in the 20-29 class, etc. Across the top of the body of the table, to the right of Total, is the record of how the 791 farms were distributed in the third year. This time there were 15 in the 1-9 class, 164 in the 10-19 class, 280 in the 20-29 class, etc.

The body of the table (below the total section) shows how individual farms operated. For example, in the first year there were 260 farms for which the coefficient of variation was 20-29. Under the subheading second year, for these same 260, is the record that the distribution in the second year went from below 10 to over 50. That is, there was one in the 1-9 class, 56 in the 10-19 class, 114 in the 20-29 class, etc. Next, under

Table 44.--Coefficient of variation (seasonal) of small distant study farms cross-classified in 3 years, 1959-1962

Coefficient of		Thir	d year co	efficier	nt of var	iation (percent)
variation	Total	1-9	10-19	20-29	30-39	40-49	50 & over
				- <u>Farms</u> -			
First year total	791	15	164	280	173	101	58
Second year 1- 9	6 163 255 162 128 77						
First year 1-9 total	10	1	6	3			
Second year 1-9	7 2	1	<i>5</i> 1	1 1			
50 and over	1			1			
First year 10-19 total	160	9	66	63	18	3	1
Second year 1- 9	5 76 65 11 2	1 7 1	4 42 16 3 1	22 36 5	4 10 3	1 1	1
First year 20-29 total	260	4	62	120	. 49	17	8
Second year 1- 9	1 56 114 58 24 7	3 1	16 34 11 1	1 26 57 25 7 4	9 19 13 6 2	1 2 6 8	1 1 3 2
First year 30-39 total	180		20	60	59	30	11
Second year 1- 9	14 57 50 45		4 9 4 3	5 24 19 9 3	4 15 19 18 3	1 5 8 14 2	4 4 3

Table 44.--Coefficient of variation (seasonal) of small distant study farms cross-classified in 3 years, 1959-1962--Continued

Coefficient of		Third	Third year coefficient of variation (percent)							
variation	Total	1-9	10-19	20-29	30-39	40-49	50 & over			
				Farms						
First year 40-49 total	103	1	8	27	28	26	13			
Second year 1- 9 10-19 20-29 30-39 40-49 50 and over	6 13 33 32 19	1	1 1 5	2 6 9 7 3	1 6 8 9 4	1 10 11 4	1 5 7			
First year 50 and over total	78		2	7	19	25	25			
Second year 1-9										
10-19	4		1	2	1	2	1			
20 - 29	4 1 0		1	2 1	3	2	1 3			
40-49	24		_	_	11	12	1			
50 and over	36			4	4	8	20			

Table 45.-- Coefficient of variation (seasonal) of medium distant study farms crossclassified in 3 years, 1959-62

	(n	Third	l year co	efficient	of var	iation (percent)
Coefficient of variation	Total	1-9	10-19	20-29	30-39	40 - 49	50 & over
				Farms			
First year total	583	26	236	193	86	30	12
Second year 1-9 10-19 20-29 30-39 40-49 50 & over	21 197 206 111 34 14						
First year 1-9 total	13	1	10	2			
Second year 1-9	5 8	1	4 6	2			
First year 10-19 total	185	20	100	56	7	1	1
Second year 1-9	7 112 56 9	2 15 2 1	5 74 20	18 31 7	4 2 1	1	1
First year 20-29 total	218	5	94	76	. 35	6	2
Second year 1-9	8 62 109 35 4	1 1 3	6 42 40 5	1 15 42 17 1	4 22 9	2 2 2	2
First year 30-39 total	113		24	43	35	8	3
Second year 1-9 10-19 20-29 30-39 40-49 50 & over	1 13 27 52 16 4		1 7 11 4	3 11 22 6 1	1 5 22 7	2 4 1 1	2 1

Table 45.--Coefficient of variation (seasonal) of medium distant study farms cross-classified in 3 years, 1959-1962--Continued

Coefficient of variation	Total	Thi	Third year coefficient of variation (percent)						
Weilicient of Vallation	10001	1-9	10-19	20-29	30-39	40-49	50 & over		
				Farms					
First year 40-49 total	36		4	15	7	10			
Second year 1-9 10-19 20-29 30-39 40-49 50 & over	1 13 12 9 1		1 1 2	11 4	1 2 4	4 5 1			
First year 50 & over total	18		4	1	2	5	6		
Second year 1-9 10-19 20-29 30-39 40-49 50 & over	1 1 3 5 8		1 1 1	1	1 1	2 3	1 5		

Table 46.--Coefficient of variation (seasonal) of large distant study farms cross-classified in 3 years, 1959-1962

Coefficient		Thi	rd year o	coefficie	ent of va	ariation	(percent)
of variation	Total	1-9	10-19	20-29	30-39	40-49	50 & over
				Farm	<u>ıs</u>		
First year total	274	25	132	82	26	8	1
Second year 1-9	17 111 102 30 11 3						
First year 1-9 total	13	1	11	1			
Second year 1-9. 10-19. 20-29. 30-39. 40-49. 50 & over.	∠, 9	1	3 8	1			
First year 10-19 total	111	18	60	33			
Second year 1-9	11 61 36 2 1	3 14 1	7 36 17	1 11 19 1			
First year 20-29 total	93	5	49	32	7		
Second year 1-9 10-19 20-29 30-39 40-49 50 & over	2 33 46 11 1	1 2 2	1 24 21 3	7 18 6 1	5 2		
First year 30-39 total	41	1	10	11	14	4	1
Second year 1-9	6 18 10 5 2	1	4 6	1 6 3 1	1 5 6 2	1 2 1	1

Table 46.--Coefficient of variation (seasonal) of large distant study farms cross-classified in 3 years, 1959-1962--Continued

Coefficient	W-4-7	Thir	Third year coefficient of variation (percent)						
of variation	Total	1-9	10-19	20-29	30-39	40-49	50 & over		
				Farms	3				
First year 40-49 total	13		1	3	5	4			
Second year 1-9	1 2 5 4 1		1	1 2	1 2 2	1 2 1			
First year 50 & over total	3		1	2					
Second year 1-9	1		1	1					

Table 47.--Coefficient of variation (seasonal) of small nearby study farms cross-classified in 3 years, 1959-1962

		Th	nird year	coeffic	ient of	variation	n (percent)
Coefficient of variation	Total	1- 9	10-19	20-29	30-39	40 - 49	50 & over
				Farms			
First year total	338	23	148	103	38	17	9
Second year							
1-9	19						
10-19	165						
20-29	97						
30-39	35						
40-49	16						
50 & over	6						
First year 1-9 total	25	2	18	5			
Second year							
1-9	4	1	3				
10-19	17	1	13	3			
20-29	3		2	1			
30-39							
40-49							
50 & over	1			1			
First year 10-19 total	141	15	77	38	7	3	1
Consultation of the consul							
Second year	12	7	10	7			
10-19	12 88	1 12	10 52	1	2	-	
20-29	31	2	12	21 12	2 3	1 1	1
30-39	6	۷	2	3	1	1	1
40-49	4		1	1	1	1	
50 & over	-		1		1		
First year 20-29 total	1 05	4	38	37	· 1 5	9	2
·							
Second year			2				
1-9	3	_	3	4 174	~	-	-
10-19	47	2 2	21	17	5	1 3	1
20 - 29	35	2	11	11	8		1
40-49	13		2 1	5	1	4	1
50 & over	7		1	4	1	1	
ου α ονer							
First year 30-39 total	41		10	17	9	3	2
Second year							
1-9							
10-19	9		4	3	1		1
20-29	21		4	8	6	2	1
30-39	8			5	2	1	
40-49	1			1			
50 & over	2		2				

Table 47.--Coefficient of variation (seasonal) of small nearby study farms cross-classified in 3 years, 1959-1962--Continued

		Thir	Third year coefficient of variation (percent)							
Coefficient of variation	Total	1-9	10-19	20-29	30-39	40-49	50 & over			
				Farms						
First year 40-49 total	19	2	2	4	7	2	2			
Second year 1-9	7	2								
10-19	6	1	1	2 1	2 2 1	1	1 1			
40-49 50 & over	4 2		1	1	1 2	1				
First year 50 & over total.	7		3	2			2			
Second year 1-9										
10-19	3		3							
20-29	1			1			_			
30 - 39	2			1			1			
50 & over	1						1			

Table 48.--Coefficient of variation (seasonal) of medium nearby study farms cross-classified in 3 years, 1959-1962

Confficient of venintion	Total	Thir	d year co	oefficie	nt of va	riation ((percent)
Coefficient of variation	TOTAL	1-9	10-19	20-29	30-39	40-49	50 & over
				Farms			
				rarms			
First year total	371	53	198	92	16	7	5
Second year							
1-9	57						
10-19	188						
20-29	96						
30-39	21						
40-49	7						
50 & over	2						
First year 1-9 total	48	10	27	8	2	1	
Second year							
1-9	14	6	8				
10-19	24	3	13	5	2	.1	
20-29	6	1	3	2	~	_	
30-39	2	_	1	ĩ			
40-49	2		2	_			
50 & over	~		-				
First year 10-19 total	213	35	121	47	6	1	3
Second year							
1-9	35	10	22	3			
10-19	121	21	76	23	1		
20-29	45	4	19	16	4		2
30-39	9		4	4	1		
40-49	3			1		1	1
50 & over							
First year 20-29 total	83	6	41	27	5	3	1
Second year							
1-9	6	1	4	1			
10-19	39	3	22		2		
20-29	33	2	13	11	3	3	1
30-39	5		2	3			
40-49							
50 & over							
Nat 2002 20 total	10	2	F	F	1	1	1
First year 30-39 total	1 9	2	7	7	1	1	1
Second year							
1-9	2		2				
10-19	4	1	2	1			
20-29	7		2	5			
30-39	3				1	1	1
40-49	1	_	_	1			
50 & over	2	1	1				

Table 48.--Coefficient of variation (seasonal) of medium nearby study farms cross-classified in 3 years, 1959-1962--Continued

	Total	Th	ird year	coeffic	ient of	variatio	on (percent)
Coefficient of variation	10081	1-9	10-19	20-29	30-39	40-49	50 & over
				Farms			
				1 0111112			
First year 40-49 total	5		2	1	2		
Second year 1-9 10-19 20-29 30-39 40-49 50 & over	3 2		1	1	1 1		
First year 50 & over total	3			2		1	
Second year 1-9 10-19 20-29	2			1		1	
30-39							
40-49 50 & over	1			1			

Table 49.--Coefficient of variation (seasonal) of large nearby study farms cross-classified in 3 years, 1959-1962

Coefficient of variation	Total	Thir	d year co	oefficie	nt of va	riation	(percent)
		1-9	10-19	20-29	30-39	40-49	50 & over
				Farms			
First year total	299	76	166	49	5	2	1
Second year 1-9	68 167 53 9 1						
First year 1-9 total	50	26	24				
Second year 1-9	29 20 1	20 6	9 14 1				
First year 10-19 total	170	39	111	18	2		
Second year 1-9 10-19 20-29 30-39 40-49 50 & over	31 113 25 1	11 24 4	17 77 17	2 11 4 1	1		
First year 20-29 total	64	10	26	26	. 1	1	
Second year 1-9	7 27 23 6	4 5 1	2 14 7 3	1 7 14 3	1	1	
First year 30-39 total	13	1	5	4	1	1	1
Second year 1-9	1 6 3 2 1	1	1 4	2 1 1	1	1	1

Table 49.--Coefficient of variation (seasonal) of large nearby study farms cross-classified in 3 years, 1959-1962--Continued

	m-4-3	Thir	Third year coefficient of variation (percent)								
Coefficient of variation	Total	1 - 9	10-19	20-29	30-39	40-49	50 & over				
				Farms							
First year 40-49 total	1				1						
Second year 1-9	1				1						
First year 50 & over total	1			1							
Second year 1-9 10-19 20-29 30-39 40-49	1			1	·						
50 & over											

the class intervals at the top of the table, the second-year distribution is broken down into the third-year distribution. The one farm which was in the 1-9 class moved back to the 20-29 class. The 56 which were in the 10-19 class now range from below 10 to over 50, and the same is true for the 114 in the 20-29 class. There were 57 out of the original 260 in the 20-29 class of the first year which were in the 20-29 class in all three years.

This phenomenon of dispersing and regrouping has already been expressed in relation to annual average level of delivery in tables 33, 34, and 35 and in tables 39 and 40. In the case of annual average level of delivery, farms exhibit a wide array of all possible combinations of increase, decrease, and stable. The same wide array is exhibited in relation to the amount of seasonal variation.

The description of this phenomenon of dispersing and regrouping both in relation to annual level of delivery and to the amount of seasonal variation is the primary contribution of this study. During this study period, initial classification of a farm by size and/or by seasonal pattern would have been at best a fair indicator of the size and/or seasonal pattern for the farm in the next year, and at best a poor indicator for two years later. These farms exhibited a large amount of movement among size categories, and among levels of amount of seasonal fluctuation.

With all of this diverse movement among farms there was, however, a definite movement of the mass toward larger farms. A similar movement of the mass of farms toward less seasonal variation can be seen in the six tables, tables 44-49, and has been converted to percentages for easier reading in table 50. The tendency toward decreasing seasonal variation was more pronounced among distant farms (where seasonal variation was significantly higher than that of nearby farms) and among larger farms (where seasonal variation was already significantly less than it was on small farms).

Table 50.--Coefficient of variation (seasonal) percentage distribution of study farms in each of 3 years by size of daily milk delivery, 1959-1962

July 1, 1959-	June 30, 1962	I	Distant far	ms	Ne	earby farm	S
Average daily delivery	Coefficient of varia- tion	lst year	2nd year	3rd year	lst year	2nd year	3rd year
Pounds	Percent		<u>F</u>	ercent of	all farms-		
			791 farms	3		338 farms	
Below 495	1-9	1 20 33 23 13 10	1 21 32 20 16 10	2 21 35 22 13 7	7 42 31 12 6 2	6 49 28 10 5	7 44 30 11 5 3
	Total	100	100	100	100	100	100
			583 farms	\$		371 farms	
495-994	1-9 10-19 20-29 30-39 40-49 50 & over	2 32 38 19 6 3	4 34 35 19 6 2	4 41 33 15 5 2	13 58 22 5 1	15 50 26 6 2 1	14 54 25 4 2
	Total	100	100	100	100	100	100
		_	274 farms			299 farms	
995 & over	1-9	5 40 34 15 5	6 40 38 11 4	9 48 31 9 3 (1)	17 57 22 4 (1) (1)	23 56 18 3 (1) (1)	25 56 16 2 1 (1)
	Total	100	100	100	100	100	100

¹ Less than 0.5 percent.

Correlation of Year to Year Patterns

The coefficient of variation, since it is a single value which describes seasonal fluctuation, has simplicity. However, it does not take the shape of a pattern into consideration. Also, examination of variation from year to year in the size of the coefficient, was not tested to see whether the year-to-year change in size was more than could be expected due to chance.

To cover the problem of consistency of individual farms in shape of seasonal pattern, the correlation of the patterns of three years was determined. For this, intraclass correlation was used, where each month is a class. The results are presented in relation to a three-year average coefficient of variation in table 51.

Table 51.--Correlation coefficients for three years of seasonal patterns of study farms by size of daily milk delivery and by average coefficient of variation, 1959-1962

Three	year		Dis	tant f	arms			Near	by farm	ns	
Average	Coefficient	Cor	relati	on coe	fficie	nt ¹	Corre	elation	n coefi	ficien	t ^l
daily delivery	of variation	Below •4	.4- .5	.6- .7	.8-	Total	Below .4	•4 -	.6- .7	.8- .9	Total
Pounds	Percent				-	Number-					
Below 495	1-19 20-39 40 & over.	57 85 23	42 93 15	38 177 31	7 143 80	144 498 149	97 45 6	52 34 2	24 47 2	3 23 3	176 149 13
	Total	165	150	246	230	791	148	88	73	29	338
495-994	1-19 20-39 40 & over.	69 25 4	58 50 1	67 114 5	21 146 23	215 335 33	107 25 3	69 22	70 30 1	15 29	261 106 4
	Total	98	109	186	190	583	135	91	101	44	371
995 & over	1-19 20-39 40 & over.	33 8 3	27 10	49 31 2	32 75 4	141 124 9	82 8 3	67 7	74 9	25 24	248 48 3
	Total	44	37	82	111	274	93	74	83	49	299
					<u>Per</u>	cent of	total				-
Below 495	1-19 20-39 40 & over.	40 17 15	29 19 10	26 35 21	5 29 54	100 100 100	55 30 (²)	29 23 (²)	14 32 (²)	2 15 (²)	100 100 (²)
	Total	21	19	31	29	100	44	26	21	9	100
495-994	1-19 20-39 40 & over	32 7 (²)	27 15 (²)	31 34 (²)	10 44 (²)	100 100 (²)	,41 ,24 (²)	26 21	27 28 (²)	6 27	100 100 (²)
	Total	17	18	32	33	100	36	25	27	12	100
995 & over	1-19 20-39 40 & over	23 7 (²)	19 8 (²)	35 25 (²)	23 60 (²)	100 100 (²)	33 17 (²)	27 15	30 18	10 50	100 100 (²)
	Total	16	13	30	41	100	31	25	28	16	100

¹ The procedure for calculating the intra-class correlation coefficient is given in the reference Statistical Methods, 5th Edition, Iowa State University Press, by G. W. Snedecor. This correlation coefficient may be thought of as the average of the first year pattern correlated to the average pattern of three years, of the second year pattern correlated with the average, and of the third year pattern correlated with the average.

² Too small to determine percent.

Variation from Year to Year in "Best-Fit" Pattern

Inconsistency in seasonal pattern (indicated by a correlation coefficient of less than .8) was present to a significantly greater extent among nearby farms than among distant farms (about 88 percent of nearby farms and 68 percent of distant farms). Small farms had a higher proportion of inconsistent farms than large farms, and inconsistency was proportionately greater when the coefficient of variation was lower.

This tendency toward less consistency when seasonal variation is less is, in part, due to the nature of a correlation coefficient. If there is only a small amount of variation, then there is not much variation which can be related from year to year and the proportion of seasonally related variation in monthly production (which is what the correlation coefficient measures) is low.

In spite of the inadequacy of the intraclass correlation to measure consistency when seasonal variation is low, the analysis leads to the conclusion that for a high proportion of farms the shape of the seasonal pattern varied from year to year.

This conclusion, which confirms the coefficient of variation analysis, is further borne out by a second measure of consistency, the test for difference among the three best-fit sine-cosine curves of seasonality on individual farms. This measure also revealed significant variation. Table 52 shows that the proportion of farms which had consistent seasonal patterns (no significant difference among best-fit sine-cosine curves) was only about 32 percent. There is still some positive relationship between the proportion consistent and the amount of seasonal variation, but it is less pronounced. The difference between distant and nearby in the proportion of farms which were consistent disappeared. Because of the fact that distant farms were more variable and therefore tended toward high correlation coefficients, the difference in degree of consistency measured by the correlation coefficient favored distant farms.

The best-fit sine-cosine curve, however, still imposes a restriction on the pattern of seasonality that needs to exist in order to satisfactorily measure consistency. This fit requires a symmetrical fluctuation in time and magnitude. Test can be made, however, to see if the intraclass correlation and test of significant difference among the best-fit curves did corroborate each other, by relating the correlation coefficient to the test for significant difference. As expected (table 53), the proportion of farms which did not show significant variation among the three years of best-fit sine-cosine curves was significantly higher when the correlation coefficient was high (.8 or better) than it was when the correlation was low. A closer verification than exists in table 53 might have been hoped for but all analyses point to the same conclusion, that on more than half of the farms the seasonal patterns were not consistent during the three-year period.

Table 52.--Significant difference of sine-cosine curve best-fit to three seasonal patterns of study farms by size of daily milk delivery and by average coefficient of variation, 1959-1962

Three	year	Di	stant farms		Nea	rby farms	
	0 .002	Differe	ence among cu	ırves	Differen	ce among cu	rves
Average daily delivery	Coefficient of variation	Not signifi- cant	Signifi- cant	Total	Not signifi- cant	Signifi- cant	Total
Pounds	Percent			<u>Nu</u>	mber		
Below 495	1-19 20-39 40 & over	50 141 43	94 357 106	144 498 149	66 41 4	110 108 9	176 149 13
	Total	234	557	791	111	227	338
495-994	1-19 20-39 40 & over	80 95 7	135 240 26	215 335 33	77 20 3	184 86 1	261 106 4
	Total	182	401	583	100	271	371
995 & over	1-19 20-39 40 & over	54 37 2	87 87 7	141 124 9	87 16	161 32 3	248 48 3
	Total	93	181	274	103	196	299
				Percent	of total		-
Below 495	1-19 20-39 40 & over	35 28 29	65 72 71	100 100 100	38 28 (¹)	62 72 (¹)	100 100 (¹)
	Total	30	70	100	, 33	67	100
495-994	1-19 20-39 40 & over	37 28 (1)	63 72 (¹)	100 100 (¹)	30 19 (¹)	70 81 (¹)	100 100 (¹)
	Total	31	69	100	27	73	100
995 & over	1-19 20-39 40 & over	38 30 (¹)	62 70 (¹)	100 100 (¹)	35 33 (¹)	65 67 (¹)	100 100 (¹)
	Total	34	66	100	34	66	100

 $^{^{\}mbox{\scriptsize l}}$ Too small to determine percent.

Table 53.--Relationship of correlation coefficient and significant difference of seasonal patterns of study farms by size of daily milk delivery, 1959-1962

	partorine or	- coad rarmo	2, 0120 01 0			1,7,7 1,02	
Three	e year	Di	stant farms		Near	rby farms	
Average	Correlation	Differ	ence among cu	rves	Differer	nce among curv	res
daily delivery	coefficient	Not sig- nificant	Significant	Total	Not sig- nificant	Significant	Total
Pounds				<u>Num</u>	<u>ber</u>		
Below 495	Below .4 .45 .67 .89	33 37 61 103	132 113 185 127	165 150 246 230	46 23 31 11	102 65 42 18	148 88 73 29
Total		234	557	791	111	227	338
495-994	Below .4 .45 .67 .89	19 26 59 78	79 83 127 112	98 109 186 190	24 24 35 17	111 67 66 27	135 91 101 44
Total		182	401	583	100	271	371
995 & over	Below .4 .45 .67 .89	14 10 22 47	30 27 60 64	44 37 82 111	23 30 28 22	70 44 55 27	93 74 83 49
Total		93	181	274	103	196	299
				Percent	of total		
Below 495	Below .4 .45 .67 .89	20 25 25 45	80 75 75 55	100 100 100 100	31 26 42 38	69 74 58 62	100 100 100 100
Total		30	70	100	33	67	100
495-994	Below .4 .45 .67 .89	19 24 32 41	81 76 68 59	100 100 100 100	18 26 35 39	82 74 65 61	100 100 100 100
Total		31	69	100	27	73	100
995 & over	Below .4 .45 .67 .89	32 27 27 42	68 73 73 58	100 100 100 100	25 41 34 45	75 59 66 55	100 100 100 100
Total		34	66	100	34	66	100

July-August to May Relationship

One facet of particular interest in the overall seasonal pattern description was the relationship of milk deliveries in July and August to May. What would be shown, ideally, is the level of deliveries for July and August relative to the preceding May. However, because of the time period used for the study this was possible for only two years. Therefore, average daily milk delivery in July and August was expressed as a percentage of the following May.

The relationship of July-August to May for each of three years and for three size groups of farms (size determined by first-year average daily delivery) in the distant and nearby areas is shown in table 54. On the average, July-August deliveries as a percent of the following May were higher in the nearby area than they were in the distant area. Small farms (below 495 pounds) in both areas showed more variation, that is, there was a higher proportion of farms where deliveries were high as well as low than was true of large farms. Large farms (995 pounds and over) of both areas had a higher proportion of farms where July-August deliveries were below the following May than was true of small farms. This was particularly true in the distant area.

This facet of seasonal pattern had particular interest because July and August are becoming short months in some markets. In these markets May continues to be a high month. A better explanation of this phenomenon may be obtained by referring to the seasonal patterns of figure 7. This shows that most patterns were low in July and August (below the annual average). Most patterns were high in May, but some were falling. The apparent abrupt drop from May to July-August may be an available-feed-supply phenomenon, coupled with a fall-freshening of herd program. An explanation of low deliveries in July and August with a high in May is easier to understand when looking at the entire year's seasonal pattern, than it is when looking at these three months separately.

This relationship of July-August to May is another means which can be used to determine individual-farm consistency with itself. In other words, the July-August to May relationship in three consecutive years can be examined to see whether individual farms maintain the same relationship. This was done using three size groups in each of the location zones. The analysis showed, for each of the six groups, that farms shifted a great deal from one level of relationship to another from year to year. The analyses for two groups are shown in tables 55 and 56. The method of presentation is the same as that used to show changes in annual level of delivery and the coefficient of variation—the distribution is made for the first year, each first-year size group is distributed for the second year, and each of these in turn for the third year. The analyses showed individual farms shifting more from year to year than was shown in previous similar analyses of producer delivery patterns.

Table 54.--July-August milk delivery percent of May of study farms by year and by size of first year daily delivery, 1959-1962

	July-August delivery	First yea	ar average da	aily delivery	(pounds)
Year	percent of following May delivery	5-494	495-994	995 and over	Total
	way delivery		DISTAN	NT FARMS	
			Per	cent	
		852 farms	566 farms	230 farms	1,648 farms
First year	121 & over	12	4	3	8
	101-120	10	10	3	9
	81-100	24	23	23	24
	61-80	35	39	40	37
	60 & under	19	24	31	22
	Total	100	100	100	100
Second year	121 & over	11	6	4	8
	101-120	11	9	5	9
	81-100	25	29	26	27
	61-80 60 & under	33 20	35 21	40 25	35
				_25	
	Total	100	100	100	100
Third year	121 & over	16	10	4	12
	101-120	17	13	10	15
	81-100	27	31	34	29
	61-80	27	31	32	29
	60 & under	13			15
	. Total	100	100	100	100
			NEARBY	FARMS	
		367 farms	371 farms	270 farms	1,008 farms
First year	121 & over	13	5	3	7
	101-120	18	11	8	13
	81-100	32	39	37	36
	61-80	27	34	38	33
	60 & under	10		<u> 14</u>	_11
	Total	100	100	100	100
Second year	121 & over	12	6	5	8
	101-120	17	12	11	13
	81-100	31	40	37	36
	61-80	28	32	37	32
	60 & under		_10	10	
	Total	100	100	100	100
Third year	121 & over	15	7	6	9
	101-120	17	14	11	14
	81-100	30	38 30	44	37
	61-80	28	30 11	31 8	30 10
	60 & under	10	11		
	Total	100	100	100	100

Table 55.--July-August milk delivery percent of May of nearby study farms with over 995 pounds average daily delivery in first year cross-classified in 3 years, 1959-1962

July-August percent		T	hird year Ju	ly-August pe	rcent of Ma	ıy
of May	Total	121 & over	101-120	81-100	61-80	60 & under
				Farms		
First year total	270	15	31	118	85	21
Second year 121 & over 101-120 81-100 61-80 60 & under	14 30 101 98 27	3 5 1 4 2	4 4 17 5 1	6 12 47 44 9	8 33 39 5	1 1 3 6 10
First year 121 & over						
Total	9	5	1	1		2
Second year 121 & over 101-120 81-100 61-80 60 & under	4 1 2 1 1	2 1 1	1	1		1
First year 101 - 120.						
Total	22	2	5	10	4	1
Second year 121 & over 101-120 81-100 61-80 60 & under	2 4 14 2	2	1 1 2 1	1 1 8	3 1	1
First year 81 - 100				•		
Total	99	2	9	55	30	3
Second year 121 & over 101-120 81-100 61-80 60 & under	5 13 42 36 3	1	2 1 5 1	3 7 22 21 2	3 14 12 1	1 1 1

Table 55.--July-August milk delivery percent of May of nearby study farms with over 995 pounds average daily delivery in first year cross-classified in 3 years, 1959-1962---Continued

July-August percent		Т	hird year Ju	ıly-August pe	rcent of M	lay							
of May	Total	121 & over	101-120	81-100	61-80	60 & under							
			Farms										
First year 61-80													
Total	102	4	11	45	36	6							
Second year 121 & over 101 - 120 81 - 100 61 - 80 60 & under	3 9 34 43 13	1	2 7 1 1	2 3 13 21 6	4 13 17 2	1 1 4							
First year 60 & under													
Total	38	2	5	7	15	9							
Second year 121 & over 101 - 120 81 - 100 61 - 80 60 & under	3 9 16 10	1	3 2	1 3 2 1	1 3 9 2	3 6							

Table 56.--July-August milk delivery percent of May of distant study farms with under 495 pounds average daily delivery in first year cross-classified in three years, 1959-1962

poulds average dati						
July-August percent of	Total			Ly-August per	·	
May		121 & over	101-120	81-100	61-80	60 & under
			Ti-c			
			<u>-</u> - <u>F</u> 8	irms		
First year total	852	137	146	226	227	116
Second year					b	
121 & over	92	44	20	9	10	9
101-120	95 218	22 42	29 38	30 75	9 49	5 14
61-80	279	19	46	75	105	34
60 & under	168	10	13	37	54	54
First year 121 & over						
Total	102	35	17	27	16	7
Second year						•
121 & over 101-120	32 18	21 4	5 5	2 7	3	1 2
81-100	22	6	4	8	4	2
61-80	18	3	2	6	5	2
60 & under	12	1	1	4	4	2
First year 101-120						
Total	84	19	21	20	15	9
Second year						
121 & over 101-120	19 16	6 4	6 6	2 6	2	3
81-100	25	6	6	7	4	2
61-80	15	1	3	3 2	7	1
60 & under	9	2			2	3
First year 81-100						
Total	207	34	51	61	51	10
Second year						
121 & over 101-120	17 32	8 6	4 12	2 12	3 2	
81-100	75	16	13	27	15	4
61-80	61	4	15	15	23	4
60 & under	22		7	5	8	2

Table 56.--July-August milk delivery percent of May of distant study farms with under 495 pounds average daily delivery in first year cross-classified in three years, 1959-1962--Continued

July-August	m-4-7	Т	hird year Ju	ıly-August pe	rcent of M	ay						
percent of May	Total	121 & over	101-120	81-100	61-80	60 & under						
		<u>Farms</u>										
First year 61-80												
Total	294	35	45	83	93	38						
Second year 121 & over 101-120 81-100 61-80 60 & under	21 22 72 128 51	9 5 9 9 3	5 6 11 23	2 5 24 35 17	2 5 22 45 19	3 1 6 16 12						
First year 60 & under												
Total	165	14	12	35	52	52						
Second year 121 & over 101-120 81-100 61-80 60 & under	3 7 24 57 74	3 5 2 4	4 3 5	1 9 16 9	2 4 25 21	2 2 2 11 35						

Seasonal Patterns Found

The introduction to the section on seasonality noted that the primary problem in analyzing seasonal milk delivery patterns is to find "a measure" to describe seasonal fluctuation. This study has depended on the coefficient of variation, intraclass correlation, and an analysis of variance of periodic fluctuation to determine the degree of consistency. Description of individual farm patterns was not attempted. Now, the problem of trying to describe patterns is considered.

The starting point is a three-year average pattern for each farm. In other words, the monthly percent of annual average daily delivery was averaged for three Julys, three Augusts, three Septembers, etc. For the first analysis of these averages, the "high month" was determined (the first month beginning with July and running through June which was as high or higher than any following month), and then the low month (the lowest or as low as any succeeding month). For those who had the highest month in any particular month, the number of farms was shown which had their low in a particular month. For example, 40 farms reached a peak of deliveries in November. Of these 40, 14 were lowest in July, 11 in August, 4 in September, and the remaining 11 were lowest from February through June (number in each month is given in table 57).

This presentation shows a wide variety of high-low month combinations. There are 132 possible combinations and 108 of them have one or more farms. The combination which appeared more often than any other one was high in June and low in November. The month of August, however, had more lows than any other one month.

For the second analysis to describe patterns, a best-fit sine-cosine curve was calculated to each farm's three-year average seasonal pattern. The farms were sorted into categories, using the coefficients of the best fit. There were 12 categories determined

Table 57.--Highest month and lowest month in 3-year average seasonal milk delivery pattern for 2,501 study farms¹, 1959-1962

Highest						Lowe	st mon	th					
Month	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	Total
						N	umber						
							CHIDC1						
July			1	3	15	22	12	21	9	4		1	88
Aug	1			3	13	12	14	15	12	12	3	5	90
Sept	19				3	15	6	19	12	20	3	5	102
Oct	34	25	1		1	3	2	1	6	9	1	7	90
Nov	14	11	4					2	1	3	2	3	40
Dec	21	32	4	1	1				1	1	-	3	64
Jan	46	65	18	4	1					2		5	141
Feb	35	32	9	11	6	1	1					6	101
Mar	30	52	10	3,	18	10					1	ĺ	125
Apr	15	41	21	15	26	10	7	6	2				143
May	59	129	75	58	124	88	37	33	3	1			607
June	16	83	46	58	209	129	149	166	43	10	1		910
Total	290	470	189	1 56	417	290	228	263	89	62	11	36	2,501

¹ All of these 2,501 farms are part of the 2,656 study farms. The omitted farms are those which had a temporary drop or had added or dropped a farming unit.

by three levels of the sine coefficient (below -20, -1 to -20, and 0 and over)¹⁴ and four levels of the ratio¹⁵ of the sine coefficient to the cosine coefficient (sign of cosine opposite to sign of sine and less than sine, sign of cosine opposite to sign of sine and equal to or more than sine; sign of cosine same as sign of sine and less than sine, and sign of cosine same as sign of sine and equal to or more than sine).

Using these 12 categories the farms were further sorted for zone location (distant and nearby) and for size (using three-year average level of delivery below 495 pounds, 495-994 pounds, and 995 pounds and over). The farms sorted into these 72 possible groups (12 types of pattern times 2 areas times 3 sizes) are shown in table 58.

To best show the different patterns, all farms with a given type pattern were grouped together. The actual three-year average pattern for each farm was then put into a frequency distribution. The average July percents of annual average for farms with one type of pattern were distributed, then August was distributed for the same farms, etc., for all 12 months. An example for two curves is given in table 59. The central point (simple arithmetic mean) of each distribution was determined. The seasonal pattern curves for the 12 categories are shown in figure 7. In addition to the curves, the proportion of the total in each of the six groups of farms (three size groups by two areas) which accompanies each type curve is included in figure 7.

Table 58.-- Number of study farms by type of seasonal milk delivery pattern and by size of daily delivery, 1959-1962

Seasonal	l pattern type			Distant	farms			Nearby	farms				
Sine	Ratio of sine	Curve desig-	Average daily delivery (podiab)										
coeffi- cient	to cosine coefficient	nation	Below 495	495 - 994	995 & over	Total	Below 495	495 - 994	995 & over	Total			
Below -20.00	Below -1.00	A	80	38	5	123	4	4		8			
	01 to-1.00	В	98	72	20	190	30	18	4	52			
	.00 to .99	C	50	50	33	133	10	21	13	44			
	1.00 & over	D	. 8	6	9	23	1	1		2			
01 to													
- 20	Below -1.00	E	232	142	59	433	78	61	23	162			
	01 to -1.00	F	65	80	38	183	58	77	49	184			
	.00 to .99	G	56	53	42	151	24	60	72	1 56			
	1.00 & over	Н	46	46	48	140	27	60	75	162			
.00 &													
over	Below -1.00	M	18	29	7	54	14	13	33	60			
	01 to -1.00	L	10	7	3	20	13	6	6	25			
	.00 to .99	K	13	11		24	22	17	7	46			
	1.00 & over	J	1 15	49	10	174	57	33	17	107			
	Total		791	583	274	1,648	338	371	299	1,008			

¹⁴ The values of the sine coefficient are percentage points.


¹⁵ It is unfortunate that the actual cosine coefficient was not used. Initially it was felt that the ratio of sine to cosine would be a single figure that would describe curves of a particular shape. Only the sine coefficient and the ratio were saved in the output programmed from the computations made by the computer.

Table 59.--Distribution of 554¹ study farms whose 3-year average seasonal milk delivery pattern had a best-fit with a sine coefficient of -.01 to -20. and cosine coefficient plus and absolute value greater than sine coefficient, by each month's percent of annual average daily delivery

Percent of						Month						
annual average	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June
					,-	- <u>Numbe</u>	<u>:r</u>					
170 & over 150-169 130-149 110-129 90-109 70-89 50-69 Below 50	6 18 77 250 193 10	1 43 218 277 13 1	1 6 158 376 13	26 399 129	114 355 81 4	111 318 109 16	1 118 296 106 33	1 143 290 92 28	11 354 169 19	1 14 203 317 19	2 19 145 319 67 2	30 77 199 219 29
Average Percent	117	110	105	96	80	78	78	79	92	107	124	134
	Distribution of 354 ² farms whose 3-year average seasonal pattern had a best-fit with a sine coefficient of 0 to 20 and cosine coefficient plus and absolute value equal to or less than absolute value of sine coefficient, by each month's percent of annual average daily delivery											
Percent of					y	lonth						
annual average	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June
						-Numbe	<u>er</u> ·					
170 & over 150-169 130-149 110-129 90-109 70-89 50-69 Below 50	32 278 44	5 258 87 4	4 240 107 3	1 219 132 2	127 224 3	2 180 167 5	3 267 83 1	21 283 50	1 100 247 6	4 207 142 1	1 39 262 52	3 59 230 62
Average Percent	99	94	93	92	85	89	94	98	105	112	119	120

¹ Total of distant and nearby farms for this "curve E" is 595. Farms with temporary drop and change in number of farm units are not included in this frequency distribution.

² Total of distant and nearby farms for this "curve F" is 367. Farms with temporary drop and change in number of farm units are not included in this frequency distribution.



An attempt to distinguish which groups of farms (distant vs. nearby, or size groups within each area) were associated with particular patterns is complicated by the fact that there are 12 seasonal patterns. However, some things may be seen which already have been mentioned, plus a few more. Distant farms showed more seasonal fluctuation than nearby farms; small farms (both distant and nearby) more often followed the high spring and low early winter pattern than did large farms. The principal pattern of large nearby farms was a low summer and high or increasing winter pattern; and patterns of late summer and early fall highs with lows in the spring were not prevalent on many farms but occurred primarily on nearby farms.

The 12 patterns shown here are only averages. The 108 high-low combinations mean there were at least 108 different patterns; this was not the limit because for a given combination of high and low, there was variation in the amount of fluctuation. Some patterns were covered up by using a three-year average pattern for individual farms.

Forecasting Seasonal Fluctuation

Two measures which were developed in the correlation analysis can be used to determine the precision with which the seasonal milk delivery pattern for a producer can be forecast, based on the average of his three seasonal patterns. It can be assumed that individual producers will continue to vary the shape of their seasonal milk delivery patterns in the future as they did in the three-year period of the study.

The first of the two measures is equivalent to the total amount of seasonal fluctuation for each individual. It is the three-year average coefficient of variation. It can be multiplied by 3, 25 to measure the average difference between the highest and lowest month of the year. The second measure is equivalent to the amount by which the actual seasonal patterns of the individual differed from his three-year average seasonal pattern. It will be called the seasonal pattern coefficient of variation. This amount can again be multiplied by 3. 25 to get an average maximum spread. 16 The maximum this time is made up of two figures. The two figures are the maximum amount by which any month is below the average seasonal pattern plus the maximum amount by which any month is above the average seasonal pattern. A simple way to think of the two by-product values is to think of the first value as a measure of the total amount of seasonal fluctuation and the second as a measure of how much the seasonal patterns differ from the average seasonal pattern. The first value measures how much an individual producer on the average fluctuates during the year in deliveries of milk. The second value measures how much on the average the individual's seasonal patterns differ from the average of his seasonal patterns. The second value, taken alone, measures the precision with which the seasonal pattern of a farmer could be forecast if the three-year average seasonal pattern was the forecast. However, the correlation ratio since it measures the association among the yearly seasonal patterns, also will be tied in with this discussion of determining the precision of a forecast.

In table 60 the relationships that existed between total seasonal fluctuation and the differences of individual year seasonal patterns from the average pattern of three years is shown for farms that had a correlation ratio of .8 or more and for farms with a lower ratio. The farms also are separated into distant and nearby groups. The "Average Coefficient of Variation" groups across the top of the table classify the farms according to the total seasonal fluctuation of the farm. The "Seasonal Pattern Coefficient of Variation" groups down the left-hand side classify the farms according to the amount the seasonal patterns in the three years differed from the three-year average seasonal pattern.

This table shows the marked relationship between the total amount of seasonal fluctuation and the amount of difference of seasonal patterns from the average seasonal pat-

¹⁶ The analysis of these data used average daily delivery in each month expressed as a percentage of the average daily delivery for the year. Thus the mean of the monthly figures in each year was 100. The average coefficient of variation is the pooled standard deviation for three years. (Total sum of squares in the analysis of variance divided by 35 and then take the square root). The seasonal pattern coefficient of variation is total sum of squares minus group (months) sum of squares divided by 24 and then take the square root.

The 3.25 constant used to approximate the range is the normal relationship of the standard deviation and the range when the number of observations is 12. The distribution of seasonal fluctuation is undoubtedly not normal. However, empirical results show that the constant 3.25 does closely approximate the range in most cases.

Table 60.--Relationship of average coefficient of variation and seasonal milk delivery pattern coefficient of variation of study farms, by location and by correlation ratio, 1959-62.

Correla-	Seasonal Pattern Coefficient of Variation	Average Coefficient of Variation							
tion Ratio		0-9	10 - 19	20 - 29	30 - 39	40 - 49	50 and over	Total	
		Distant Farms							
.8 and over	under 5		4 56	160 50	1 44 91 18	10 35 30 5	8 8 7 3 1	5 270 184 56 12 3	
	Total		60	210	154	80	27	531	
Below .8	under 5	24	143 228 44 1	6 209 143 52 16 2	2 67 48 28 20	1 20 6 24	1 7 25	173 439 255 122 57 71	
	Total	24	416	428	165	51	33	1,117	
		Nearby Farms							
.8 and over	under 5		3 40	3 35 21	3 13 1	1 1	1	6 78 35 2 1	
	Total		43	59	17	2	1	122	
Below .8	under 5	9 71 6	216 288 50 2	3 64 67 38 5	10 17 14 9	1 9	1 6	9 290 358 127 57 21 24	
	Total	86	556	177	50	10	7	886	

tern. Since the amount of difference of seasonal patterns from the average seasonal pattern measures the precision of a forecast, the relationship indicates that the precision in forecasting is positively related to the amount of seasonal fluctuation present. This is true both for farms which had a high correlation ratio as well as for farms which had a ratio below .8. The reason for this is that when there is a small amount of seasonal fluctuation it is harder to have a high proportion of it common in all years. Thus when seasonal fluctuation is great a high proportion can be common to all years and yet there may still be considerable difference between yearly patterns and the average pattern.

The reason for presenting the information in this table is, however, to describe the precision in forecasting for individual producers. We might have assumed that if there was a close association among seasonal patterns (a high correlation ratio) then forecasts based on the average pattern would give precise forecasts. This is true to a limited extent because, as we have seen, the error in forecasting (the amount of difference between yearly patterns and the average pattern) is related to the amount of seasonal fluctuation that is originally present. Thus the precision in forecasting is dependent on two things, the amount of seasonal fluctuation to begin with and the closeness of the association between the seasonal patterns of the different years.

Recognizing that the total seasonal fluctuation and the degree of association govern the precision in forecasting there is still the question of how to interpret the seasonal pattern coefficient of variation as it relates to the precision of a forecast. We have said that it could be multiplied by 3.25 to get the average maximum spread, the sum of the maximum by which any month was below plus the maximum by which any month was above the average of the seasonal patterns. This maximum spread divided by two will give us the approximate amount by which any month may be off either above or below the forecast in any year. If the seasonal pattern coefficient of variation was 10, the maximum spread to be expected would be 32.5. In any year one month could be expected to be below the forecast by about 16 percentage points and one month could be expected to be above the forecast by about 16 percentage points. About eight of the twelve months could be expected to be within 10 percentage points or less of the average either above or below.

These differences between an actual seasonal pattern in any year and the average seasonal pattern of three years hold true whether the patterns had a high correlation ratio or a low one. It does not hold entirely true, however, if the correlation ratio was minus. When the correlation ratio is minus, the seasonal pattern coefficient of variation is greater than the average coefficient of variation which seems to imply that the average seasonal pattern would be a less accurate forecast than the forecast that every month would be an average month. This is not possible on the average for a group of years if the same inverse patterns occur. However, it would be possible to forecast a pattern based on similar years (no inverse patterns). If after this an inverse pattern occurred, the forecast based on the similar months would be less accurate than if a forecast of no difference among the months had been made. To this extent the seasonal pattern coefficient of variation larger than the average coefficient of variation is valid and correct when the correlation ratio is minus.

For the 2,656 study farms the data of table 61 show that there were only 21 farms for which a forecast of seasonal pattern based on the average of three years would not have an error of more than 8 percentage points in two months of the year. For 9 of these 21 farms it was not the high degree of association among their seasonal patterns that made this precision of forecasting possible but rather that the farms had a small amount of seasonal fluctuation. This degree of precision (or lack of it) of forecasting for individual farms compares with a precision for the average of all distant farms of about 3.5 percentage points, and for the average of all nearby farms the comparable figure is 1.8. For the average of all farms together it can be expected that in any year there will be two months which will differ from the average seasonal pattern by 2 percentage points.

Precision in forecasting is measured by the seasonal pattern coefficient of variation. The precision is related to the total amount of seasonal fluctuation and to the degree of association among seasonal patterns.

Table 61.--Coefficient of variation (seasonal) percentage distribution of study farms in each of 3 years by size of daily delivery, 1959-1962

July 1, 1959-June 30, 1962		Di	istant far	ns	Nearby farms				
Average daily delivery	Coefficient of variation	lst year	2nd year	3rd year	lst year	2nd year	3rd year		
Pounds	Percent								
		791	farms		338 farms				
Below 495	1-9 10-19 20-29 30-39 40-49 50 & over	1 20 33 23 13 10	1 21 32 20 16 10	2 21 35 22 13 7	7 42 31 12 6 2	6 49 28 10 5	7 44 30 11 5 3		
	Total	100	100	100	100	100	100		
		583 farms			371 farms				
495-994	1-9 10-19 20-29 30-39 40-49 50 & over	2 32 38 19 6 3	4 34 35 19 6 2	4 41 33 15 5 2	13 58 22 5 1	15 50 26 6 2	14 54 25 4 2		
	Total	100	100	100	100	100	100		
		274	4 farms		299 farms				
995 & over	1-9 10-19 20-29 30-39 40-49 50 & over	5 40 34 15 5	6 40 38 11 4	9 48 31 9 3 (¹)	17 57 22 4 (1) (1)	23 56 18 3 (1) (1)	25 56 16 2 1 (1)		
	Total	100	100	100	100	100	100		

¹ Less than 0.5 per cent.

Changes in Average Daily Delivery, Same Month, Successive Years

To determine the number of farms which delivered the same amount of milk in the same month of successive years, the average daily delivery in June and in November were analyzed. All study farms were sorted for level of delivery in the first year. Each first year size group was then sorted for second year level, and each of these groups was again sorted for level in the third year. The procedure and presentation in tables 62 and 63 is the same as that used for annual average level of delivery (tables 33-35) and for the coefficient of variation (tables 44-49).

For both months the proportion of farms which stayed in the same size group in all three years was less than half. This can be seen by comparing the number of farms in any given first year size group with the number which stayed in the same size group in the two following years. Other aspects of change which occurred in the three-year period were movement both up and down, and reversal of change from year to year.

It would be attributing too much to seasonal pattern change to say that all of the shifting from year to year that appears in tables 62 and 63 was change in seasonal patterns. Part of the shifting was a result of change in level of annual average daily delivery, and part was seasonal pattern change. Previous analyses have shown the separate effects (tables 34 and 35 for shifting in annual average daily delivery and tables 44-49 for shifting in amount of seasonal fluctuation). What is presented here is the combined effect.

Table 62.--June average daily milk delivery of study farms cross-classified in 3 years, 1959-1962

Average		7	Third yea	r averag	e daily	delivery	(pounds)
daily delivery	Total	Below 245	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495- 1,994	1,995 & over
Pounds				<u>Fa</u>	rms			
First year total Second year.	2,656	222	589	549	486	471	190	149
Below 245 245-494 495-744	200 634 586	153 67 1	42 451 92	1 108 352	1 6 129	1 2 12	1	1
745-994 995-1,494 1,495-1,994 1,995 & over	452 464 179 141	1	4	79 8 1	270 78 2	96 313 44 3	3 60 99 27	4 33 111
First year below 245	266	157	93	10	5		1	
Second year Below 245	159 98 7 2	132 25	26 64 3	7 3	2 1 2	00	1	
First year 245-494	7.03	58	418	186	32	9		
Second year Below 245	35 477 173 16 2	19 38 1	16 357 45	78 106 2	3 18 11	1 3 3 2		
First year 495-744 Second year	609	7	70	290	202	39	1	
Below 245	51 362 174 18	2 4 1	26 41 3	1 20 222 46 1	1 92 104 4	7 20 12	1	

Table 62.--June average daily milk delivery of study farms cross-classified in 3 years, 1959-1962--Continued

Average		Third year average daily delivery (pounds)							
daily delivery	Total	Below 245	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495- 1,994	1,995 & over	
Pounds				<u>Far</u>	ms				
First year 745-994 Second year Below 245	428		8	54	191	158	17		
245-494	6 43 220 1 54 5		4 3 1	2 20 28 4	18 133 39 1	2 58 96 2	15 2		
First year 995-1,494 Second year	405			8	55	241	86	15	
Below 245	2 1 39 275 83 5			1 1 3 2 1	20 35	1 15 196 29	1 39 44 2	3 9 3	
First year 1,495-1,994. Second year Below 245	143 1			1	1	21	75	45 1	
245-494	1 13 83 45			1	ı ·	7 12 2	1 5 50 19	20 24	
First year 1,995 & over Second year	102					3	10	89	
Below 245	2 8 91					1 1	1 3 - 6	1 4 84	

Table 63.--November average daily milk delivery of study farms cross-classified in 3 years, 1959-62

	1							
		Th	ird year	average	daily	delivery	(pounds)
Average daily delivery	Total	Below 245	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495 1,994	1,995 & over
<u>Pounds</u>				Far	ms			
First year total Second year	2,656	516	736	506	359	313	119	107
Below 245	535 801	424 88	107 560	3 140	1 11	2		
495 - 744	486 327	3	65 3	284 73	123 167	11 78	4	1
995-1,494 1,495-1,994 1,995 & over	303 113 91		1	5 1	56 1	200 19 3	36 70 9	5 22 79
First year below 245 Second year	617	434	170	8	2	3		
Below 245	454 159 4	388 46	64 104 2	1 7	1	1 2		
First year 245-494 Second year	814	80	506	195	32	1		
Below 245	78 568 150 16 2	36 41 3	41 420 43 1 1	1 100 85 9	7 19 6	1		
First year 495-744 Second year	482	1	55	252	141	32	1	•
Below 245	2 70 276 124 8 2	1	1 34 19 1	1 33 180 37	2 73 61 4 1	4 24 4	1	

Table 63.--November average daily milk delivery of study farms cross-classified in 3 years, 1959-62--Continued

		Third year average daily delivery (pounds)								
Average daily delivery	Total	Below 245	245 - 494	495 - 744	745 - 994	995 - 1,494	1,495 1,994	1,995 & over		
<u>Pounds</u>				<u>F</u> ar	ms					
First year 745-994 Second year Below 245	307 1 2	1	4 1 1	44	149 1	104	4	1		
495-744	52 163 89	1	1 1	18 24 2	28 89 31	45 54	2 2	1		
First year 995-1,494 Second year Below 245	268		1	7	34	153	58	15		
245-494	2 4 24 188 45 5		1	1 3 3	3 11 20	1 9 132 11	1 30 26 1	3 8 4		
First year 1,495-1,994 Second year Below 245	89				1	18	48	22		
745-994	15 60 14				1	9 8 1	3 42 3	2 10 10		
First year 1,995 & over Second year Below 245 245-494 495-744 745-994	79					2	8	69		
995-1,494	1 6 72					2	1 2 5	. 65		

Examples of Change on Individual Farms

Figures 8 and 9 illustrate types of extreme difference among seasonal patterns. The first illustration is for a farm which had a correlation coefficient of .080. There was no significant difference in the sine-cosine best-fit curves.

The second illustration is for a farm which had a correlation coefficient of -.399. There was a significant difference in the sine-cosine best-fit curves. This second farm was the most extreme in seasonal pattern difference.

A more complete illustration of two relatively stable farms is given in table 64 and figures 10 and 11.

The first is a distant farm and the second nearby. The farms were selected because they were relatively stable both in year to year change in average daily delivery and in their three seasonal patterns. The reader is urged not to interpret these farms as having been typical. The detailed descriptions are presented to show average daily delivery in three years combining both year to year change in average daily delivery and change in seasonal patterns.

In analyzing the year to year change in average daily delivery the distant farm stayed in the same size group in all three years. The nearby farm shifted into a higher size group in the third year. The distant farm had percentage increases in average daily

Table 64.--Farm analyses for two farms, 1959-1962

Analyses	Distant farm	Nearby farm
Average daily delivery: lst year	550 650 710	950 900 · 1,030
Percent of previous year: 2nd year. 3rd year.	118 109	95 115
Coefficient of variation: 1st year. 2nd year. 3rd year.	21 30 26	13 16 12
Difference of seasonal patterns Correlation ratio	Not sig.	Sig. .818
Average coefficient of variation Seasonal pattern coefficient of variation Seasonal pattern type	25.2 11.5 B ¹	13.5 5.9 E ¹

¹ Curves shown in Figure 7.




Figure 8




Figure 9




Figure 10




Figure 11

delivery from year to year of over 5 per cent in both cases. The nearby farm was relatively stable from the first to second year buthad over a 5 per cent increase from the second to third year.

The distant farm moved into a higher size class of the coefficient of variation from the first to the second year and dropped back into the same class in the third year. The nearby farm was in the same size class in all three years. Both farms had a high correlation ratio but the nearby farm had a significant difference among the three seasonal patterns. There was almost twice as much seasonal fluctuation on the distant farm as there was on the nearby farm. In forecasting the distant farm seasonal pattern you could expect two months to deviate from the average pattern by about 18.5 percentage points and for the nearby farm you could expect about 9.5 percentage points deviation in two months.

RELATIONSHIP OF BULK TANK TO MILK DELIVERY PATTERNS

The introduction of bulk tanks for farm storage of milk has been thought by some to have had an impact on the change in level of deliveries and on the seasonality patterns of milk deliveries. Since information on the bulk-tank status of farms was obtained in this study, the relationship of bulk-tank status to change in level of deliveries and to the amount of seasonal fluctuation was investigated.

In table 65 the bulk-tank status of study farms is shown. A higher proportion of nearby farms (65 percent) than of distant farms (32 percent) had bulk tanks July 1, 1959. On June 30, 1962, the proportion of farms with tanks had increased to 76 percent for nearby and 60 percent for distant. Among study farms which left the market, 40 percent of nearby and 15 percent of distant farms had bulk tanks.

Table 65.--Bulk tanks ownership of study farms by size of daily milk delivery, 1959-1962

		Distant	farms havin	ıg	Nearby farms having				
Average daily delivery	No tanks	Added tanks	Continuous tank ownership	Total	No tanks	Added tanks	Continuous tank ownership	Total	
Pounds		FARMS IN MARKET 36 MONTHS							
10-249	207 269 146 40 1	33 176 199 53 7	7 99 238 152 21	247 544 583 245 29	69 96 59 19 1	7 32 49 19 2	18 116 263 202 56	94 244 371 240 59	
Percent of total	40	28	32	100	24	11	65	100	
		FARMS LEAVING MARKET							
10-249 250-499 500-999 1,000-1,999 2,000 & over	222 106 35 5 1	2 9 5 1	7 19 17 6	231 134 57 12 1	85 35 19 4	1 2 1 1	14 32 24 18 2	100 68 45 23 3	
Total	369	17	49	435	143	6	90	239	
Percent of total	85	4	11	100	60	2	38	100	

Annual Average Daily Delivery

The relationship between bulk-tank status and percent change in level of milk deliveries from the first year to the third year is shown in table 66. On the average, farms which added a bulk tank had a higher percentage increase than those farms which were never bulk or were always bulk. This general tendency held best for all size groups of farms (size measured by average level of delivery in the first year) when the comparison between farms which added bulk was made with farms which were never bulk. This analysis based on averages did not, of course, hold true for each individual farm. The same shifting of direction mentioned earlier appeared in all groups of farms regardless of bulk-tank status.

Table 66.--Distribution of study farms and percent change in average daily milk delivery from first year to third year by average daily delivery first year and by farm bulk tank ownership, 1959-1962

	Dist	ant farms	having	Nearb	y farms h	aving			
Average daily delivery	No tanks	Added tanks	Continuous tank ownership	No tanks	Added tanks	Continuous tank ownership			
Pounds									
5-244	222	47	.10	73	10	22			
245-494	271	189	113	99	34	129			
495-744	95	115	147	32	27	135			
745-994	42	67	100	24	21	132			
995-1,494	25	35	92	9	12	138			
1,495 & over	8	15	55	7	5	99			
Total	663	468	517	244	109	655			
	Per	cent chan	ge first year	to third	year in a	verage			
			daily de	elivery					
5-244	20	38	12	17	121	14			
245-494	9	23	17	4	25	13			
495-744	10	15	14	9	16	13			
745-994	3	14	14	6	14	8			
995-1,494	9	13	12	12	6	11			
1,495 & over	5	13	11	16	-1	12			
Average	10	17	13	9	15	11			

¹⁷ The author is reluctant to attribute greater increase in deliveries to the acquisition of a bulk tank. The order of relationship might better be that on farms where growth was taking place (improvement was going on) the operators used purchase of a bulk tank as one improvement. Or if a producer felt there was opportunity to grow, he felt capable of purchasing a bulk tank. Of course payments on a bulk tank would be an incentive to maintain or raise income.

Seasonality

The change in amount of seasonal fluctuation which was associated with bulk-tank status is demonstrated in table 67. For distant farms which added a bulk tank, there was more of a shift to less seasonal fluctuation than was true for other distant farms. Both distant and nearby farms which were "always bulk" showed less seasonal variation in all years than was true for "never bulk" or "added bulk" in the comparable areas.

One difficulty with this initially convincing set of relationships was that nearby farms which added bulk tanks did not show a significant shift to less seasonal fluctuation. Another difficulty was that low seasonal fluctuation was size related (low for large farms). Farms which were always bulk were primarily large farms which had low seasonal fluctuation. In other words, there may be a question whether seasonality is related to acquisition or

Table 67.--Coefficient of variation (seasonal) of study farms by bulk tank ownership, 1959-1962

Opening and the	Di	stant farm	S	Nearby farms			
Coefficient of variation	First year	Second year	Third year	First year	Second year	Third year	
Percent		Percent of total					
No tanks:		663 farms			244 farms		
1-9 10-19 20-29 30-39 40-49 50 & over	1 22 35 22 10	2 24 31 21 13 9	3 26 32 22 10 7	13 48 24 9 4 2	14 46 26 8 4 2	15 41 29 9 4 2	
Total	100	100	100	100	100	100	
Added tanks:		468 farms			109 farms		
1-9 10-19. 20-29. 30-39. 40-49. 50 & over.	2 28 34 20 11 5	3 31 34 17 10 5	3 35 37 14 7 4	9 . 51 25 10 3 2	15 50 19 8 6 2	13 47 27 6 6 1	
Total	100	100	100	100	100	100	
Continuous tank ownership:		517 farms			665 farms		
1-9	3 35 35 17 7 3	4 33 38 16 7 2	5 38 33 15 7 2	12 54 25 6 2	15 54 24 6 1	16 55 22 5 1	
Total	100	100	100	100	100	100	

¹ Less than 0.5 percent.

use of a bulk tank or to size of farms. 18 There was also shifting up and down in the coefficient of variation for farms with all states of bulk-tank ownership.

This study has described the dynamics of individual actions in the deliveries of milk by producers. The variation among individuals, as well as the changing of direction by individuals from one period to another, have been noted. Even with all of the dynamics of individuals a direction of movement by the entire group was apparent.

An analysis by size groups could have been made and it would have been helpful in showing the relationship that existed. However, the line or order of relationship would not be indicated. It is the author's opinion that the ability and awareness of the operator is the controlling factor and that increased size of operation, lower seasonality, and use of a bulk tank all stem from the operator's direction. He does not feel that higher milk production which is more seasonally even than that which had existed would automatically be the result of the placing of a bulk tank on all farms.



U. S. DEPARTMENT OF AGRICULTURE Agricultural Marketing Service Washington, D. C. 20250

Official Business

Postage and Fees Paid
U. S. Department of Agriculture



